

IFTMIN Instruction Message

Introduction:

A message from the party issuing an instruction regarding forwarding/transport services for a consignment under conditions agreed, to the party arranging the forwarding and/or transport services.

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Group Repeat</u>	<u>Notes and Comments</u>
M	0005	UNB	Interchange Header	M	1		
M	0010	UNH	Message Header	M	1		
M	0020	BGM	Beginning of Message	M	1		
Not Used	0030	CTA	Contact Information	C	1		
Not Used	0040	COM	Communication Contact	C	9		
	0050	DTM	Date/Time/Period	C	1		
	0060	TSR	Transport Service Requirements	C	1		
	0070	CUX	Currencies	C	9		
	0080	MOA	Monetary Amount	C	99		
	0090	FTX	Free Text	C	99		
	0100	CNT	Control Total	C	5		
Not Used	0110	DOC	Document/Message Details	C	9		
Not Used	0120	GDS	Nature of Cargo	C	9		
	0130		Segment Group 1: LOC-DTM	C		2	
M	0140	LOC	Place/Location Identification	M	1		
	0150	DTM	Date/Time/Period	C	1		
	0160		Segment Group 2: TOD-LOC	C		2	
Not Used	0170	TOD	Terms of Delivery or Transport	M	1		
Not Used	0180	LOC	Place/Location Identification	C	9		
	0190		Segment Group 3: RFF-DTM	C		999	
M	0200	RFF	Reference	M	1		
	0210	DTM	Date/Time/Period	C	2		
	0220		Segment Group 4: GOR-DTM-LOC-SEL-FTX-SG5	C		9	
Not Used	0230	GOR	Governmental Requirements	M	1		
Not Used	0240	DTM	Date/Time/Period	C	9		
Not Used	0250	LOC	Place/Location Identification	C	9		
Not Used	0260	SEL	Seal Number	C	9		
Not Used	0270	FTX	Free Text	C	9		
	0280		Segment Group 5: DOC-DTM	C		9	
Not Used	0290	DOC	Document/Message Details	M	1		
Not Used	0300	DTM	Date/Time/Period	C	1		
Must Use	0310		Segment Group 6: CPI-RFF-CUX-LOC-MOA	C		9	

M	0320	CPI	Charge Payment Instructions	M	1
Not Used	0330	RFF	Reference	C	99
Not Used	0340	CUX	Currencies	C	1
Not Used	0350	LOC	Place/Location Identification	C	9
Not Used	0360	MOA	Monetary Amount	C	9
Not Used	0370		Segment Group 7: TCC-LOC-FTX-CUX-PRI-EQN-PCD-MOA-QTY	C	99
Not Used	0380	TCC	Transport Charge/Rate Calculations	M	1
Not Used	0390	LOC	Place/Location Identification	C	1
Not Used	0400	FTX	Free Text	C	1
Not Used	0410	CUX	Currencies	C	1
Not Used	0420	PRI	Price Details	C	1
Not Used	0430	EQN	Number of Units	C	1
Not Used	0440	PCD	Percentage Details	C	1
Not Used	0450	MOA	Monetary Amount	C	9
Not Used	0460	QTY	Quantity	C	9
	0470		Segment Group 8: TDT-DTM-TSR-SG9-SG10	C	99
M	0480	TDT	Details of Transport	M	1
Not Used	0490	DTM	Date/Time/Period	C	9
Not Used	0500	TSR	Transport Service Requirements	C	9
	0510		Segment Group 9: LOC-DTM	C	99
M	0520	LOC	Place/Location Identification	M	1
Not Used	0530	DTM	Date/Time/Period	C	9
	0540		Segment Group 10: RFF-DTM	C	9
Not Used	0550	RFF	Reference	M	1
Not Used	0560	DTM	Date/Time/Period	C	1
	0570		Segment Group 11: NAD-LOC-MOA-SG12-SG13-SG14-SG15-SG16-SG17	M	99
M	0580	NAD	Name and Address	M	1
Not Used	0590	LOC	Place/Location Identification	C	9
Not Used	0600	MOA	Monetary Amount	C	9
	0610		Segment Group 12: CTA-COM	C	9
M	0620	CTA	Contact Information	M	1
	0630	COM	Communication Contact	C	9
	0640		Segment Group 13: DOC-DTM	C	9
M	0650	DOC	Document/Message Details	M	1
Not Used	0660	DTM	Date/Time/Period	C	1
	0670		Segment Group 14: TCC-CUX-PRI-EQN-PCD-MOA-QTY	C	99
Not Used	0680	TCC	Transport Charge/Rate Calculations	M	1
Not Used	0690	CUX	Currencies	C	1
Not Used	0700	PRI	Price Details	C	1
Not Used	0710	EQN	Number of Units	C	1
Not Used	0720	PCD	Percentage Details	C	1
Not Used	0730	MOA	Monetary Amount	C	9
Not Used	0740	QTY	Quantity	C	9
	0750		Segment Group 15: RFF-DTM	C	1
M	0760	RFF	Reference	M	1
Not Used	0770	DTM	Date/Time/Period	C	9
Not Used	0780		Segment Group 16: CPI-RFF-CUX-LOC-MOA	C	9

Not Used	0790	CPI	Charge Payment Instructions	M	1
Not Used	0800	RFF	Reference	C	99
Not Used	0810	CUX	Currencies	C	1
Not Used	0820	LOC	Place/Location Identification	C	9
Not Used	0830	MOA	Monetary Amount	C	9
Not Used	0840		Segment Group 17: TSR-RFF-LOC-TPL-FTX	C	99
Not Used	0850	TSR	Transport Service Requirements	M	1
Not Used	0860	RFF	Reference	C	1
Not Used	0870	LOC	Place/Location Identification	C	1
Not Used	0880	TPL	Transport Placement	C	1
Not Used	0890	FTX	Free Text	C	9
Must Use	0900		Segment Group 18: GID-HAN-TMP-RNG-TMD-LOC-MOA-PIA-FTX-PCD-SG19-GDS-SG20-SG21-SG22-SG23-SG24-SG25-SG27-SG29-SG31-SG32	C	999
M	0910	GID	Goods Item Details	M	1
Not Used	0920	HAN	Handling Instructions	C	99
Not Used	0930	TMP	Temperature	C	1
Not Used	0940	RNG	Range Details	C	1
Not Used	0950	TMD	Transport Movement Details	C	1
Not Used	0960	LOC	Place/Location Identification	C	9
Not Used	0970	MOA	Monetary Amount	C	9
	0980	PIA	Additional Product Id	C	9
	0990	FTX	Free Text	C	99
Not Used	1000	PCD	Percentage Details	C	9
	1010		Segment Group 19: NAD-DTM-LOC	C	2
M	1020	NAD	Name and Address	M	1
Not Used	1030	DTM	Date/Time/Period	C	1
Not Used	1040	LOC	Place/Location Identification	C	9
Not Used	1050	GDS	Nature of Cargo	C	9
	1060		Segment Group 20: MEA-EQN	C	99
M	1070	MEA	Measurements	M	1
Not Used	1080	EQN	Number of Units	C	1
Not Used	1090		Segment Group 21: DIM-EQN	C	99
Not Used	1100	DIM	Dimensions	M	1
Not Used	1110	EQN	Number of Units	C	1
	1120		Segment Group 22: RFF-DTM	C	999
M	1130	RFF	Reference	M	1
Not Used	1140	DTM	Date/Time/Period	C	1
	1150		Segment Group 23: PCI-RFF-DTM-GIN	C	999
M	1160	PCI	Package Identification	M	1
Not Used	1170	RFF	Reference	C	1
Not Used	1180	DTM	Date/Time/Period	C	1
Not Used	1190	GIN	Goods Identity Number	C	10
Not Used	1200		Segment Group 24: DOC-DTM	C	1
Not Used	1210	DOC	Document/Message Details	M	1
Not Used	1220	DTM	Date/Time/Period	C	9
Not Used	1230		Segment Group 25: GOR-DTM-LOC-SEL-FTX-SG26	C	9
Not Used	1240	GOR	Governmental Requirements	M	1

Not Used	1250	DTM	Date/Time/Period	C	9
Not Used	1260	LOC	Place/Location Identification	C	9
Not Used	1270	SEL	Seal Number	C	9
Not Used	1280	FTX	Free Text	C	9
Not Used	1290		Segment Group 26: DOC-DTM	C	9
Not Used	1300	DOC	Document/Message Details	M	1
Not Used	1310	DTM	Date/Time/Period	C	1
Not Used	1320		Segment Group 27: TPL-SG28	C	9
Not Used	1330	TPL	Transport Placement	M	1
Not Used	1340		Segment Group 28: MEA-EQN	C	9
Not Used	1350	MEA	Measurements	M	1
Not Used	1360	EQN	Number of Units	C	1
	1370		Segment Group 29: SGP-SG30	C	999
M	1380	SGP	Split Goods Placement	M	1
	1390		Segment Group 30: MEA-EQN	C	9
M	1400	MEA	Measurements	M	1
Not Used	1410	EQN	Number of Units	C	1
Not Used	1420		Segment Group 31: TCC-CUX-PRI-EQN-PCD-MOA-QTY-LOC	C	99
Not Used	1430	TCC	Transport Charge/Rate Calculations	M	1
Not Used	1440	CUX	Currencies	C	1
Not Used	1450	PRI	Price Details	C	1
Not Used	1460	EQN	Number of Units	C	1
Not Used	1470	PCD	Percentage Details	C	1
Not Used	1480	MOA	Monetary Amount	C	9
Not Used	1490	QTY	Quantity	C	9
Not Used	1500	LOC	Place/Location Identification	C	9
	1510		Segment Group 32: DGS-FTX-SG33-SG34-SG35	C	99
M	1520	DGS	Dangerous Goods	M	1
	1530	FTX	Free Text	C	99
	1540		Segment Group 33: CTA-COM	C	9
M	1550	CTA	Contact Information	M	1
	1560	COM	Communication Contact	C	9
Not Used	1570		Segment Group 34: MEA-EQN	C	9
Not Used	1580	MEA	Measurements	M	1
Not Used	1590	EQN	Number of Units	C	1
Not Used	1600		Segment Group 35: SGP-SG36	C	999
Not Used	1610	SGP	Split Goods Placement	M	1
Not Used	1620		Segment Group 36: MEA-EQN	C	9
Not Used	1630	MEA	Measurements	M	1
Not Used	1640	EQN	Number of Units	C	1
	1650		Segment Group 37: EQD-EQN-TMD-MEA-DIM-SEL-TPL-HAN-TMP-FTX-RFF-SG38-SG39-SG41-SG42	C	999
M	1660	EQD	Equipment Details	M	1
Not Used	1670	EQN	Number of Units	C	1
Not Used	1680	TMD	Transport Movement Details	C	1
	1690	MEA	Measurements	C	9
Not Used	1700	DIM	Dimensions	C	9

	1710	SEL	Seal Number	C	99
Not Used	1720	TPL	Transport Placement	C	9
Not Used	1730	HAN	Handling Instructions	C	1
	1740	TMP	Temperature	C	1
	1750	FTX	Free Text	C	9
	1760	RFF	Reference	C	9
Not Used	1770		Segment Group 38: TCC-CUX-PRI-EQN-PCD-MOA-QTY	C	99
Not Used	1780	TCC	Transport Charge/Rate Calculations	M	1
Not Used	1790	CUX	Currencies	C	1
Not Used	1800	PRI	Price Details	C	1
Not Used	1810	EQN	Number of Units	C	1
Not Used	1820	PCD	Percentage Details	C	1
Not Used	1830	MOA	Monetary Amount	C	9
Not Used	1840	QTY	Quantity	C	9
	1850		Segment Group 39: NAD-DTM-SG40	C	1
M	1860	NAD	Name and Address	M	1
Not Used	1870	DTM	Date/Time/Period	C	1
Not Used	1880		Segment Group 40: CTA-COM	C	9
Not Used	1890	CTA	Contact Information	M	1
Not Used	1900	COM	Communication Contact	C	9
Not Used	1910		Segment Group 41: EQA-EQN	C	99
Not Used	1920	EQA	Attached Equipment	M	1
Not Used	1930	EQN	Number of Units	C	1
Not Used	1940		Segment Group 42: DGS-FTX-SG43	C	99
Not Used	1950	DGS	Dangerous Goods	M	1
Not Used	1960	FTX	Free Text	C	9
Not Used	1970		Segment Group 43: CTA-COM	C	9
Not Used	1980	CTA	Contact Information	M	1
Not Used	1990	COM	Communication Contact	C	9
M	2000	UNT	Message Trailer	M	1
	2010	UNZ	Interchange Trailer	C	1

Segment: UNB Interchange Header
Position: 0005
Group:
Level: 0
Usage: Mandatory
Max Use: 1
Purpose: To start, identify and specify an interchange

Dependency Notes:

Semantic Notes:

Comments:

Notes:

UNB+UNOC:2+SENDER_ID:ZZZ+MSCU:ZZZ+191031:1545+123'

As Test:

UNB+UNOC:2+SENDER_ID:ZZZ+MSCU:ZZZ+191031:1545+123+++++1'

Data Element Summary

Data		Component		Req/Repeat/Repr	
Attributes	Element	Element	Name		
M	S001		SYNTAX IDENTIFIER	M	1
			Identification of the agency controlling the syntax and indication of syntax level.		
			Accepted values :		
M		0001	Syntax identifier	M	a4
			Coded identification of the agency controlling a syntax and syntax level used in an interchange.		
			UNOC UN/ECE level C		
			As defined in ISO 8859-1 : Information processing - Part 1: Latin alphabet No. 1.		
M		0002	Syntax version number	M	n1
			Version number of the syntax identified in the syntax identifier (0001).		
			2 Version 2		
			ISO 9735:1990.		
M	S002		INTERCHANGE SENDER	M	1
			Identification of the sender of the interchange.		
M		0004	Sender identification	M	an..35
			Name or coded representation of the sender of a data interchange.		
			SENDER_ID as agreed upon with MSC		
		0007	Partner identification code qualifier	C	an..4
			Qualifier referring to the source of codes for the identifiers of interchanging partners.		
			ZZZ Mutually defined		
X		0008	Address for reverse routing	C	an..14
M	S003		INTERCHANGE RECIPIENT	M	1
			Identification of the recipient of the interchange.		
M		0010	Recipient identification	M	an..35
			Name or coded representation of the recipient of a data interchange.		
			MSCU MSC Trading Partner ID		
		0007	Partner identification code qualifier	C	an..4
			Qualifier referring to the source of codes for the identifiers of interchanging partners.		
			ZZZ Mutually defined		
X		0014	Routing address	C	an..14
M	S004		DATE AND TIME OF PREPARATION	M	1

		Date and time of preparation of the interchange.		
M	0017	Date of preparation	M	n6
		Local date when an interchange or a functional group was prepared.		
M	0019	Time of preparation	M	n4
		Local time of day when an interchange or a functional group was prepared.		
M	0020	INTERCHANGE CONTROL REFERENCE	M	1 an..14
		Unique reference assigned by the sender to an interchange.		
X	S005	RECIPIENTS REFERENCE PASSWORD	C	1
		Reference or password as agreed between the communicating partners.		
X	0022	Recipient reference/password	M	an..14
		Unique reference assigned by the recipient to the data interchange or a password to the recipient's system or to a third party network as specified in the partners interchange agreement.		
X	0025	Recipient reference/password qualifier	C	an2
		Qualifier for the recipient's reference or password.		
X	0026	APPLICATION REFERENCE	C	1 an..14
X	0029	PROCESSING PRIORITY CODE	C	1 a1
X	0031	ACKNOWLEDGEMENT REQUEST	C	1 n1
X	0032	COMMUNICATIONS AGREEMENT ID	C	1 an..35
	0035	TEST INDICATOR	C	1 n1
		Indication that the interchange is a test.		
		1 Interchange is a test		

Segment: UNH Message Header

Position: 0010

Group:

Level: 0

Usage: Mandatory

Max Use: 1

Purpose: A service segment starting and uniquely identifying a message. The message type code for the Instruction message is IFTMIN.

Note: Instruction messages conforming to this document must contain the following data in segment UNH, composite S009:

Data element 0065 IFTMIN 0052 D 0054 99B 0051 UN

Dependency Notes:

Semantic Notes:

Comments:

Notes: UNH+0815+IFTMIN:D:99B:UN'

Data Element Summary

Attributes	Data	Component		Req/Repeat/Repr
	<u>Element</u>	<u>Element</u>	<u>Name</u>	
M	0062		MESSAGE REFERENCE NUMBER	M 1 an..14
			Unique message reference assigned by the sender.	
M	S009		MESSAGE IDENTIFIER	M 1
			Identification of the type, version etc. of the message being interchanged.	
M		0065	Message type identifier	M an..6
			Code identifying a type of message and assigned by its controlling agency.	
			Accepted values:	
			IFTMIN Instruction message	
			A code to identify the instruction message.	
M		0052	Message type version number	M an..3
			Version number of a message type.	
			Accepted values:	
			D Draft version/UN/EDIFACT Directory	
			Message approved and issued as a draft message (Valid for directories published after March 1993 and prior to March 1997). Message approved as a standard message (Valid for directories published after March 1997).	
M		0054	Message type release number	M an..3
			Release number within the current message type version number (0052).	
			Accepted values:	
			99B Release 1999 - B	
			Message approved and issued in the second 1999 release of the UNTDID (United Nations Trade Data Interchange Directory).	
M		0051	Controlling agency	M an..2
			Code identifying the agency controlling the specification, maintenance and publication of the message type.	
			Accepted values:	
			UN UN/CEFACT	
			United Nations Centre for the Facilitation of procedures and practices for Administration, Commerce and Transport (UN/CEFACT).	
		0057	Association assigned code	C an..6
			Code, assigned by the association responsible for the design and maintenance of the message type concerned, which further identifies the message.	

	0068	COMMON ACCESS REFERENCE	C	1 an..35
		Reference serving as a key to relate all subsequent transfers of data to the same business case or file.		
	S010	STATUS OF THE TRANSFER	C	1
		Statement that the message is one in a sequence of transfers relating to the same topic.		
M	0070	Sequence message transfer number	M	n..2
		Number assigned by the sender indicating that the message is an addition or change of a previously sent message relating to the same topic.		
	0073	First/last sequence message transfer indication	C	a1
		Indication used for the first and last message in a sequence of the same type of message relating to the same topic.		

Segment: **BGM** Beginning of Message
Position: 0020
Group:
Level: 0
Usage: Mandatory
Max Use: 1
Purpose: A segment to indicate the beginning of a message and to transmit identifying number and type of the message.

Dependency Notes:

Semantic Notes:

Comments:

Notes: BGM+340+12344321:1.2019'

Data Element Summary

Attributes		Data	Component		
	<u>Element</u>	<u>Element</u>	<u>Name</u>	<u>Req/Repeat/Repr</u>	
	C002		DOCUMENT/MESSAGE NAME	C	1
			Identification of a type of document/message by code or name. Code preferred.		
		1001	Document name code	C	an..3
			Code specifying the document name.		
			Supplied values:		
		340	Shipping instructions		
			Document/message advising details of cargo and exporter's requirements for its physical movement.		
X		1131	Code list identification code	C	an..3
X		3055	Code list responsible agency code	C	an..3
		1000	Document name	C	an..35
			Free form description of the document.		
			Used to indicate the product source of the Shipping Instruction.		
	C106		DOCUMENT/MESSAGE IDENTIFICATION	C	1
			Identification of a document/message by its number and eventually its version or revision.		
		1004	Document/message number	C	an..35
			Reference number assigned to the document/message by the issuer.		
			Shipping Identification Number (Unique number identifying this shipment). Has always to be provided.		
		1056	Version	C	an..9
			To specify the version number or name of an object.		
			Accepted values:		
			1.2019		
		1060	Revision number	C	an..6
			To specify a revision number.		
			Six character number that defines the revision sequence (Original = 000001, 1st update = 000002, etc)		
	1225		MESSAGE FUNCTION CODE	C	1 an..3
			Code indicating the function of the message.		
			Accepted values:		
		5	Replace		
			Message replacing a previous message.		
			used to convey full replacement of original SI		
		9	Original		
			Initial transmission related to a given transaction.		

Segment: **DTM** Date/Time/Period
Position: 0050
Group:
Level: 0
Usage: Conditional (Optional)
Max Use: 1
Purpose: A segment to indicate a date and time applying to the whole message, e.g., date and time of document issue.

Dependency Notes:

Semantic Notes:

Comments:

Notes: DTM+137:201910311545:203'

Data Element Summary

Attributes	Data	Component		Req/Repeat/Repr
	<u>Element</u>	<u>Element</u>	<u>Name</u>	
M	C507		DATE/TIME/PERIOD	M 1
			Date and/or time, or period relevant to the specified date/time/period type.	
M		2005	Date/time/period function code qualifier	M an..3
			Code giving specific meaning to a date, time or period.	
			Accepted values:	
		137	Document/message date/time (2006) Date/time when a document/message is issued. This may include authentication.	
		2380	Date/time/period value	C an..35
			The value of a date, a date and time, a time or of a period in a specified representation.	
		2379	Date/time/period format code	C an..3
			Code specifying the representation of a date, time or period.	
			Accepted values:	
		203	CCYYMMDDHHMM Calendar date including time with minutes: C=Century; Y=Year; M=Month; D=Day; H=Hour; M=Minutes.	

Segment: **TSR** Transport Service Requirements
Position: 0060
Group:
Level: 0
Usage: Conditional (Optional)
Max Use: 1
Purpose: A segment to identify the contract, conditions of carriage, services, and priority requirements for the transport.

Dependency Notes:

Semantic Notes:

Comments:

Notes: TSR+27+2'

Data Element Summary

Attributes	Data	Component		Req/Repeat/Repr	
	<u>Element</u> C536	<u>Element</u>	<u>Name</u>		
			CONTRACT AND CARRIAGE CONDITION	C	1
			To identify a contract and carriage condition.		
M		4065	Contract and carriage condition code	M	an..3
			Code to identify the conditions of contract and carriage.		
			Accepted values:		
		27	Door-to-door The carrier is responsible for the intermodal carriage of cargo including both the pre-carriage and the on-carriage.		
		28	Door-to-pier The carrier is responsible for the intermodal carriage of cargo including the pre-carriage, but excluding the on-carriage.		
		29	Pier-to-door The carrier is responsible for the intermodal carriage of cargo including the on-carriage, but excluding the pre-carriage.		
		30	Pier-to-pier The carrier of intermodal cargo is only responsible for the main carriage.		
X		1131	Code list identification code	C	an..3
X		3055	Code list responsible agency code	C	an..3
	C233		SERVICE	C	1
			To identify a service (which may constitute an additional component to a basic contract).		
M		7273	Service requirement code	M	an..3
			Code specifying a service requirement.		
			Accepted values:		
		2	Full loads Container to be stuffed or stripped under responsibility and for account of the shipper or the consignee.		
		3	Less than full loads Container to be stuffed and stripped for account and risk of the carrier.		
			Used to indicate LCL / Part Container Loads		

Segment: CUX Currencies
Position: 0070
Group:
Level: 1
Usage: Conditional (Optional)
Max Use: 9
Purpose: A segment to indicate default currencies and exchange rates.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

CUX+4:EUR'

Default currency for the Bill of Lading.

Data Element Summary

Attributes	Data	Component		Req/Repeat/Repr	
	<u>Element</u> C504	<u>Element</u>	<u>Name</u>		
			CURRENCY DETAILS	C	1
			The usage to which a currency relates.		
M		6347	Currency details qualifier	M	an..3
			Specification of the usage to which the currency relates.		
			Accepted values:		
			4 Transport document currency		
			Currency applicable to amounts stated in a transport document/message.		
M		6345	Currency identification code	M	an..3
			Code specifying a monetary unit.		
			ISO code of the country's currency.		

Segment: **MOA** Monetary Amount
Position: 0080
Group:
Level: 1
Usage: Conditional (Optional)
Max Use: 99
Purpose: A segment to indicate a monetary value for entire consignment, e.g. insured value, invoice amount, disbursements, etc.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

MOA+44:25547.85'

Used to report declared value of goods for the entire shipment.

Data Element Summary

Attributes	Data	Component		Req/Repeat/Repr	
	<u>Element</u>	<u>Element</u>	<u>Name</u>		
M	C516		MONETARY AMOUNT	M	1
			Amount of goods or services stated as a monetary amount in a specified currency.		
M		5025	Monetary amount type code qualifier	M	an..3
			Code specifying the type of monetary amount.		
			Accepted values:		
		44	Declared value for carriage (5036) Value, declared by the shipper or his agent solely for the purpose of varying the carrier's level of liability from that provided in the contract of carriage, in case of loss or damage to goods or delayed delivery.		
		5004	Monetary amount value	C	n..35
			To specify the value of a monetary amount.		
			Maximum decimal places are two.		

Segment: **FTX** Free Text
Position: 0090
Group:
Level: 1
Usage: Conditional (Optional)
Max Use: 99
Purpose: A segment to specify free form or processable supplementary information, such as status of transport, remarks to be printed on the transport documents (where required), consignment remarks, insurance instructions, etc., or any other additional information.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

FTX+AAI+++GENERAL INFORMATION' or
 FTX+BLC++01+SHIPPERS LOAD COUNT' or
 FTX+BLC+++SHIPPER'S FREE TEXT CLAUSE INFORMATION HERE' or
 FTX+CCI++MFS+5:US' or
 FTX+CCI++MFS+1:US:SCAC' or
 FTX+DOC++SMI' or
 FTX+AAI+++CHARGE_TYPE-Basic Freight; PAYER-Shipper; TERM-Prepaid;
 PAYMENT_LOCATION-VERA CRUZ, SP, BRAZIL (BRVRC)' or
 FTX+AAI+++PARTY_TO_RECEIVE_ORIGINAL-Consignee' or
 FTX+AAI+++TELEX_RELEASE_REQUESTED'

Customer may use the "Single Message" qualifier (FTX+DOC++SMI') to indicate a Consolidation Shipment, i.e., an aggregation of multiple LCL shipments.

If the Single Message Indicator is ON (i.e., customer sends FTX+DOC++SMI'), then filing status and other house bill information will always be provided at the GID level. In this case, MSC will ignore filing status sent at the Header level if provided.

If the Single Message Indicator is OFF (i.e., customer omits FTX+DOC++SMI') then filing status information will always be provided at the Header level. In this case, MSC will ignore filing status sent at the GID level if provided.

The following Localized Customs Rules apply when SMI is OFF:

1. United States or Canadian Imports:
 When Port of Discharge (0520LOC) is a US or Canadian port, Manifest Filer Status (MFS) and Manifest Filing Country are mandatory at the Header level:

 Example:
 FTX+CCI++MFS+5:US' or
 FTX+CCI++MFS+1:US:SCAC'

If Manifest Filer Status is Self (1), then Manifest Filer Identification C108, 4440(3) is mandatory.

2. FROB Cargo thru the US or Canada:
 - a. For FROB cargo thru the US, e.g., Hamburg -> US -> Santiago, MSC recommends that customers provide Filer Status (Self or Carrier) for Manifest Filing Country = US
 - b. For FROB cargo thru Canada, e.g., Hamburg -> Montreal -> Boston, MSC recommends that customers provide Filer Status (Self or Carrier) for Manifest Filing Country = CA.
 - c. Filer status should NOT be provided for FROB cargo NOT involving US or CA.

Data Element Summary

Attributes	Data	Component		Req/Repeat/Repr
	Element	Element	Name	
M	4451		TEXT SUBJECT CODE QUALIFIER	M 1 an..3

Code specifying the subject of the text.

Accepted values:

AAI	General information Used for shipping instruction comments
AAS	Bill of lading remarks The remarks printed or to be printed on a bill of lading.
BLC	Bill of lading clause Clause on the bill of lading regarding the cargo being shipped. Used to indicate the clause description
BLR	Transport document remarks Remarks concerning the complete consignment to be printed on the bill of lading.
CCI	Customs clearance instructions Any coded or clear instruction agreed by customer and carrier regarding the declaration of the goods.
DOC	Documentation instructions Instructions pertaining to the documentation.

X	4453	TEXT FUNCTION, CODED	C	1 an..3
	C107	TEXT REFERENCE	C	1

Coded reference to a standard text and its source.

M	4441	Free text value code	M	an..17
----------	-------------	-----------------------------	----------	---------------

Code specifying free form text.

If code 'CCI' is used in element 4451, then the following has to be used:

Accepted values:

MFS Manifest Filer Status

If code 'DOC' is used in element 4451, then the following has to be used:

Accepted values:

SMI Single Message Indicator

If code 'BLC' is used in element 4451, the B/L clause code may be placed in this element.

Accepted values:

- 01 Shipper's Load and Count
- 02 Shipper's Load, Stowage and Count
- 03 Laden on Board
- 04 Laden on Board Vessel
- 05 Vessel Not Responsible for Freezing
- 06 Container(s) Sealed by Shipper
- 07 On Deck at Shipper's Risk
- 08 Short-Shipped
- 09 Sea Waybill
- 10 This Shipment is Effected under a Sea Waybill
- 11 Memo Bill of Lading Only
- 12 Refrigerated Cargo
- 13 Cool Cargo
- 14 Freeze Cargo
- 15 Inland Transportation Arranged as Agents Only with such Arranged Transportation Being Solely for Account and Risk of Cargo
- 16 Sea-Air Cargo
- 17 Freight Prepaid
- 18 Freight Collect
- 19 Freight as Agreed
- 20 No Shipper's Export Declaration Required (Section 30.39)

21 Carrier Reserves the Right to Place Container(s) in Heated Warehouse at a Set Cost
 22 On Board Rail
 23 On Board Truck
 24 On Board Vessel
 25 Received For Shipment
 26 On Board Container
 29 Emergency Response Statement
 30 International Maritime Organization Certification
 32 Destination Control Statements
 33 Producing Country of Origin
 34 Laden on Board Named Vessel
 35 Age of Vessel
 38 Certification Statements
 39 Destination Country / Final destination of the shipment
 40 Title Passage Clause
 41 Container Safety Act
 45 General Agreement on Tariff and Trade (GATT)
 46 Prior Damage Remarks
 CB Caribbean Basin Initiative (CBI)
 CC Custom
 CP Container Packing Certificate
 DC Disclaimer
 DV Delivery Order Liability Clause
 GS General System of Preferences (GSP)
 IS Israeli Free Trade Agreement
 NF North American Free Trade Agreement (NAFTA)

X		1131	Code list identification code	C	an..3
X		3055	Code list responsible agency code	C	an..3
	C108		TEXT LITERAL	C	1
			Free text; one to five lines.		
M		4440	Free text value	M	an..512
			Free form text.		

Note:
 If 'MFS' (Manifest Filing Status) is used in element C107,4441, then the following will be used in this sub-element:

Accepted values:
 1 Self
 5 Carrier

When element 4451 (text subject code qualifier) is populated with 'AAI' then this element will be structured as follows:

If the first characters of this element are CHARGE_TYPE then the element will contain charge information. If it does not the element will be free form shipper instruction comments.
 The charge information labels and data options are:
 CHARGE_TYPE-
 All Charges
 Additional Charges
 Basic Freight
 Destination Haulage Charges
 Destination Port Charges
 Origin Port Charges
 Origin Haulage Charges
 Destination Terminal Handling Charges
 Origin Terminal Handling Charges

PAYER-
Consignee
Shipper
Exporter
Contract Party
Freight Payer
Forwarder
Goods Owner
Importer
Additional Notify Party 1
Additional Notify Party 2
Notify Party
Ship to
Manufacturer/Supplier
Consolidator/Stuffer

TERM-
Prepaid
Collect
Payable elsewhere

PAYMENT_LOCATION-
City
Country Sub-entity
Country (UNLOC)

The type label will be in all capital letters separated with an underscore if needed followed by a hyphen, then the information and a semicolon.

This is an example of the FTX with Charge information.

FTX+AAI+++CHARGE_TYPE-Basic Freight; PAYER-Shipper; TERM-Prepaid; PAYMENT_LOCATION-VERA CRUZ, SP, BRAZIL (BRVRC)

If the first characters of this element are PARTY_TO_RECEIVE_ORIGINAL or TELEX_RELEASE_REQUESTED then the element will contain documentation information.

The documentation information for PARTY_TO_RECEIVE_ORIGINAL labels and data options are:

PARTY_TO_RECEIVE_ORIGINAL-
Consignee
Shipper
Exporter
Contract Party
Freight Payer
Forwarder
Goods Owner
Importer
Additional Notify Party 1
Additional Notify Party 2
Notify Party
Ship to
Manufacturer/Supplier
Consolidator/Stuffer

This is an example of the FTX with PARTY_TO_RECEIVE_ORIGINAL information.

FTX+AAI+++PARTY_TO_RECEIVE_ORIGINAL-Consignee

The documentation information for TELEX_RELEASE_REQUESTED is:
TELEX_RELEASE_REQUESTED

This is an example of the FTX with TELEX_RELEASE_REQUESTED
information.

FTX+AAI+++TELEX_RELEASE_REQUESTED

If the first characters of this element does not contain CHARGE_TYPE or
PARTY_TO_RECEIVE_ORIGINAL or TELEX_RELEASE_REQUESTED
then the element will contain free form shipping instruction comments.

4440 Free text value C an..512

Free form text.

Used to indicate Manifest Filing Country (2 character ISO country code)

If Manifest Filing Status is sent, then Manifest Filing Country Code must be
provided.

4440 Free text value C an..512

Free form text.

Used to indicate Manifest Filer Identification

Segment: **CNT** Control Total
Position: 0100
Group:
Level: 1
Usage: Conditional (Optional)
Max Use: 5
Purpose: A segment to specify totals for a consignment.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

CNT+7:40000:KGM'

Used for Total Volume, Weight, Container and Package count for this Shipping Instruction.
 Package and Equipment counts will be presented as whole numbers with no separation or decimal components.

All numeric values will conform to below rules:

- Decimal will be represented using the dot ('.')
- Group separators are invalid:

1. Weight: Maximum 3 bytes of precision allowed: examples: valid - "1000.123"
 invalid - "1,000.123", "1.000,123"
2. Volume: Maximum 4 bytes of precision allowed: examples: valid - "1000.1234"
 invalid - "1,000.1234", "1.000,1234"

Data Element Summary

Attributes	Data Element	Component	Name	Req/Repeat/Repr
M	C270		CONTROL	M 1
			Control total for checking integrity of a message or part of a message.	
M		6069	Control total type code qualifier	M an..3
			Code qualifying the type of control of hash total.	
			Accepted values:	
			7 Total gross weight Code to indicate total gross weight of a consignment. Used to indicate the total gross weight of all commodities on this shipping instruction.	
			11 Total number of packages [7370] Total number of packages of the entire consignment. Total number of outer packages for this shipping instruction.	
			15 Total consignment, cube The total cube of consignment. Total cubic dimension of this shipping instruction.	
			16 Total number of equipment Total number of equipment mentioned in the message. Total number of containers for this shipping instruction.	
M		6066	Control value	M n..18
			Value obtained from summing the values specified by the Control Qualifier throughout the message (Hash total).	
		6411	Measurement unit code	C an..3
			Code specifying the unit of measurement.	
			Accepted values: For Weight:	

KGM = Kilograms

LBR = Pounds

For Cubic Dimension:

FTQ = Cubic feet

MTQ = Cubic meters

Note: If element C270,6069 equals 7 (gross weight) or 15 (cubic dimension), this value has always to be provided.

Group: **LOC** Segment Group 1: Place/Location Identification
Position: 0130
Group:
Level: 1
Usage: Conditional (Optional)
Max Use: 2
Purpose: A group of segments to specify locations and related date(s)/time(s) which apply to the entire message, e.g. place of transhipment.

Segment Summary

	Pos. No.	Seg. ID	Name	Req. Des.	Max. Use	Group: Repeat
M	0140	LOC	Place/Location Identification	M	1	
	0150	DTM	Date/Time/Period	C	1	

Segment: **LOC** Place/Location Identification
Position: 0140 (Trigger Segment)
Group: Segment Group 1 (Place/Location Identification) Conditional (Optional)
Level: 1
Usage: Mandatory
Max Use: 1
Purpose: A segment to identify a location applying to the entire message.
Dependency Notes:
Semantic Notes:
Comments:
Notes: LOC+73+USNYC::6:NEW YORK+US'

Data Element Summary

Attributes	Data	Component			
	<u>Element</u>	<u>Element</u>	<u>Name</u>	<u>Req/Repeat/Repr</u>	
M	3227		LOCATION FUNCTION CODE QUALIFIER	M 1 an..3	
			Code identifying the function of a location.		
			Accepted values:		
		57	Place of payment		
			Name of the location at which freight and charges for main transport are payable.		
			Location of collection and payment of freight.		
		73	Bill of lading release office		
			A location where bills of lading are released to customers.		
	C517		LOCATION IDENTIFICATION	C 1	
			Identification of a location by code or name.		
		3225	Location name code	C an..25	
			Code specifying the name of the location.		
			UN location code has to be provided		
X		1131	Code list identification code	C an..3	
		3055	Code list responsible agency code	C an..3	
			Code specifying the agency responsible for a code list.		
			Accepted values:		
		6	UN/ECE (United Nations - Economic Commission for Europe)		
		3224	Location name	C an..256	
			Name of the location.		
			If element 3227 = "57" this element will contain one of the following values: "ORIGIN", "DESTINATION", "ELSEWHERE" or the City name of the place of payment.		
	C519		RELATED LOCATION ONE IDENTIFICATION	C 1	
			Identification the first related location by code or name.		
		3223	Related place/location one identification	C an..25	
			Specification of the first related place/location by code.		
			ISO country code or country name.		

Segment: **DTM** Date/Time/Period
Position: 0150
Group: Segment Group 1 (Place/Location Identification) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Max Use: 1
Purpose: A segment to indicate date(s) and time(s) relating to the location.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

DTM+95:20191201:102'
 or
 DTM+95:201912011445:203'

This DTM segment is used only for Bill of Lading Issue date and will follow the LOC+73

Data Element Summary

Attributes	Data	Component			
	<u>Element</u>	<u>Element</u>	<u>Name</u>	<u>Req/Repeat/Repr</u>	
M	C507		DATE/TIME/PERIOD	M	1
			Date and/or time, or period relevant to the specified date/time/period type.		
M		2005	Date/time/period function code qualifier	M	an..3
			Code giving specific meaning to a date, time or period.		
			Accepted values:		
		95	Bill of lading date		
			Date as specified on the bill of lading.		
			Request date for issuance of Bill of Lading.		
		2380	Date/time/period value	C	an..35
			The value of a date, a date and time, a time or of a period in a specified representation.		
		2379	Date/time/period format code	C	an..3
			Code specifying the representation of a date, time or period.		
			Accepted values:		
		102	CCYYMMDD		
			Calendar date: C = Century ; Y = Year ; M = Month ; D = Day.		
		203	CCYYMMDDHHMM		
			Calendar date including time with minutes: C=Century; Y=Year; M=Month; D=Day; H=Hour; M=Minutes.		

Group: **RFF** Segment Group 3: Reference
Position: 0190
Group:
Level: 1
Usage: Conditional (Optional)
Max Use: 999
Purpose: A group of segments containing a reference and constants which apply to the entire message.

Segment Summary

	Pos.	Seg.		Req.	Max.	Group:
	No.	ID	Name	Des.	Use	Repeat
M	0200	RFF	Reference	M	1	
	0210	DTM	Date/Time/Period	C	2	

Segment: **RFF** Reference
Position: 0200 (Trigger Segment)
Group: Segment Group 3 (Reference) Conditional (Optional)
Level: 1
Usage: Mandatory
Max Use: 1
Purpose: A segment to express a reference which applies to the entire message such as: the document/message number that is to be updated by this very message (according to data element 1225 Message function code in segment BGM), booking reference, order number, insurance contract, etc.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

RFF+BN:MSC BOOKING NUMBER'

Notes:

- Booking number is required by MSC.
- Multiple references per qualifier are allowed.

United States Exports:

When Port of Load (0520LOC) is a US port, Internal Transaction Number (TN) is mandatory either at the header or GID (for each commodity).

European Union Exports;

When Port of Load (0520LOC) is a port of a country in the EU then the TN may be populated with the Movement Reference Number (MRN) either at the header or GID (for each commodity).

If TN is provided at the Header level, then TN will NOT be provided at the GID level and vice versa.

The TN reference may also be used to report similar numbers issued by other countries when the export declaration is accepted by customs.

Data Element Summary

Attributes	Data	Component		Req/Repeat/Repr
	Element	Element	Name	
M	C506		REFERENCE	M 1
			Identification of a reference.	
M		1153	Reference function code qualifier	M an..3
			Code giving specific meaning to a reference segment or a reference number.	
			Accepted values:	
		ADU	Broker reference 1 Description to be provided. Used for Customs House Broker Reference Number.	
		BM	Bill of lading number Reference number assigned to a bill of lading, see: 1001 = 705.	
		BN	Booking reference number [1016] Reference number assigned by the carrier or his agent when cargo space is reserved prior to loading. MSC Booking Number. This reference is required by MSC!	
		CG	Consignee's order number	
		CT	Contract number Reference number of a contract concluded between parties.	

ERN	<p>Exporter's reference number</p> <p>Reference to a party exporting goods.</p> <p>Used to indicate the Shipper or Forwarder's unique number used in filing of Export Declaration.</p>
EX	<p>Export licence number</p> <p>[1208] Reference number assigned by issuing authority to an Export Licence.</p> <p>Used to indicate the license (if required) under which the commodity is authorized to be exported from the US (associated with the Exporter ('EX') party).</p>
FF	<p>Freight forwarder's reference number</p> <p>[1460] Reference number assigned to the consignment by the freight forwarder.</p>
GN	<p>Government reference number</p> <p>Description to be provided.</p> <p>Used for Government Tax ID or Federal Maritime Commission (FMC) Number.</p>
IV	<p>Invoice number</p> <p>[1334] Reference number assigned by the seller to a Commercial Invoice.</p>
LC	<p>Letter of credit number</p> <p>Reference number identifying the letter of credit document.</p>
ON	<p>Order number (purchase)</p> <p>[1022] Reference number assigned by the buyer to an order.</p> <p>Used at the Header level only if PO number applies to ALL commodities.</p> <p>Note: If provided here, PO number will not appear at the GID level (Group 22-RFF).</p>
SI	<p>SID (Shipper's identifying number for shipment)</p> <p>Description to be provided.</p>
TN	<p>Transaction reference number</p> <p>Reference applied to a transaction between two or more parties over a defined life cycle; e.g. number applied by importer or broker to obtain release from Customs, may then used to control declaration through final accounting (synonyms: declaration, entry number).</p> <p>Used to indicate the unique Internal Transaction number (ITN) as provided by the US AES (Automated Export System) or Movement Reference number (MRN) as provided by the National administrations of the EU. The TN reference may also be used to report similar numbers issued by other countries when the export declaration is accepted by customs.</p>
ZZZ	<p>Mutually defined reference number</p> <p>Number based on party agreement.</p> <p>Client SI number.</p>

1154 Reference identifier **C an..35**
Identifies a reference.

Segment: **DTM** Date/Time/Period
Position: 0210
Group: Segment Group 3 (Reference) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Max Use: 2
Purpose: A segment to indicate date and time relating to the reference.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

DTM+182:20191130:102'

Notes:

- This DTM is used for Letter of Credit and Export License Number. It must be coded after the Letter of Credit reference ("LC") or Export License Number ("EX").
- If sent, Date will be valid according to format code "102".

Data Element Summary

Attributes	Data	Component			
	<u>Element</u>	<u>Element</u>	<u>Name</u>	<u>Req/Repeat/Repr</u>	
M	C507		DATE/TIME/PERIOD	M	1
			Date and/or time, or period relevant to the specified date/time/period type.		
M		2005	Date/time/period function code qualifier	M	an..3
			Code giving specific meaning to a date, time or period.		
			Accepted values:		
		36	Expiry date Date of expiry of the validity of a referenced document, price information or any other referenced data element with a limited validity period. Expiration date of Letter of Credit or Export License Number. - Cannot be greater than system date + 5 years		
		182	Issue date Date when a document/message has been or will be issued. Issuance date of Letter of Credit or Export License Number. - Cannot be less than system date - 5 years		
		2380	Date/time/period value	C	an..35
			The value of a date, a date and time, a time or of a period in a specified representation.		
		2379	Date/time/period format code	C	an..3
			Code specifying the representation of a date, time or period.		
			Accepted values:		
		102	CCYYMMDD Calendar date: C = Century ; Y = Year ; M = Month ; D = Day.		

Group: **CPI** Segment Group 6: Charge Payment Instructions
Position: 0310
Group:
Level: 1
Usage: Conditional (Required)
Max Use: 9
Purpose: A group of segments to indicate charge methodology which applies to the entire message.

Segment Summary

	<u>Pos.</u> <u>No.</u>	<u>Seg.</u> <u>ID</u>	<u>Name</u>	<u>Req.</u> <u>Des.</u>	<u>Max.</u> <u>Use</u>	<u>Group:</u> <u>Repeat</u>
M	0320	CPI	Charge Payment Instructions	M	1	

Segment: **CPI Charge Payment Instructions**
Position: 0320 (Trigger Segment)
Group: Segment Group 6 (Charge Payment Instructions) Conditional (Required)
Level: 1
Usage: Mandatory
Max Use: 1
Purpose: A segment to indicate default charge methodology.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

CPI+1++C'
 or
 CPI+4++P'
 or
 CPI+5++A'

Used to indicate various charges associated with the Shipping Instruction.

Notes:

- Has always to be provided.
- Either Basic Freight (C226, 5237='4') or All Charges (C226, 5237='1') has to be provided.
- Basic Freight (C226, 5237='4') may be combined with other charges types (per list below), except charge type '1'.

Data Element Summary

Attributes	Data	Component		Req/Repeat/Repr	
	<u>Element</u> C229	<u>Element</u>	<u>Name</u>	C	1
M	5237	Charge category code	Identification of a category or a zone of charges. Code specifying the category of charges.	M	an..3
Accepted values:					
		1	All charges All amounts calculated by the carrier in accordance with tariffs or in case of special events during the voyage (e.g. Rail - freights costs - additional costs). Mutually exclusive of all other charges.		
		2	Additional charges Charges calculated by the carrier for specific events like re-weighting, re-loading, unexpected operations, services required during the voyage, etc. Definition to be mutually agreed upon by MSC and Customer.		
		4	Basic freight The basic freight payable on the cargo as per tariff.		
		5	Destination haulage charges Haulage charges for transporting goods to the destination.		
		7	Destination port charges Charges payable at the port of destination.		
		10	Origin port charges Charges payable at the port of origin.		
		11	Origin haulage charges Haulage charges for the pickup of goods at origin.		
X	1131	Code list identification code		C	an..3

X		3055	Code list responsible agency code	C	an..3
X	C231		METHOD OF PAYMENT	C	1
			Code identifying the method of payment.		
X		4215	Transport charges payment method code	M	an..3
			Identification of method of payment for transport charges.		
X		1131	Code list identification code	C	an..3
			Identification of a code list.		
X		3055	Code list responsible agency code	C	an..3
			Code specifying the agency responsible for a code list.		
	4237		PREPAID/COLLECT INDICATOR, CODED	C	1 an..3
			Code indicating whether freight item amount is prepaid or to be collected.		
			Payment Terms		
			Accepted values:		
		A	Payable elsewhere		
			Responsibility for payment of transport charges unknown at time of departure.		
		C	Collect		
			Charges are (to be) collected from the consignee at the destination.		
		P	Prepaid		
			Charges are (to be) prepaid before the transport actually leaves.		

Group: **TDT** Segment Group 8: Details of Transport
Position: 0470
Group:
Level: 1
Usage: Conditional (Optional)
Max Use: 99
Purpose: A group of segments to indicate details of the movement of goods such as mode and means of transport, locations, departure, and arrival date(s) and time(s).

Segment Summary

	Pos. No.	Seg. ID	Name	Req. Des.	Max. Use	Group: Repeat
M	0480	TDT	Details of Transport	M	1	
	0510		Segment Group 9: Place/Location Identification	C		99

Segment: **TDT** Details of Transport
Position: 0480 (Trigger Segment)
Group: Segment Group 8 (Details of Transport) Conditional (Optional)
Level: 1
Usage: Mandatory
Max Use: 1
Purpose: A segment to indicate information related to a certain stage of the transport, such as mode, means and carrier.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

TDT+20+MSC Voyno+1++MSCU:172+++9703318::11:MSC ZOE'

Notes:

- Has always to be provided.
- Only one TDT segment per Shipping Instruction is allowed.

Data Element Summary

Attributes	Data	Component			
	<u>Element</u>	<u>Element</u>	<u>Name</u>	<u>Req/Repeat/Repr</u>	
M	8051		TRANSPORT STAGE CODE QUALIFIER Code qualifying a specific stage of transport. Accepted values: 20 Main-carriage transport The primary stage in the movement of cargo from the point of origin to the intended destination.	M 1 an..3	
	8028		CONVEYANCE REFERENCE NUMBER Unique reference given by the carrier to a certain journey or departure of a means of transport (generic term). MSC voyage number	C 1 an..17	
	C220		MODE OF TRANSPORT Method of transport code or name. Code preferred.	C 1	
		8067	Transport mode name code Code specifying the name of a mode of transport. Accepted values: 1 = Maritime	C an..3	
X		8066	Transport mode name	C an..17	
X	C228		TRANSPORT MEANS Code and/or name identifying the type of means of transport.	C 1	
X		8179	Transport means description code Code specifying the means of transport.	C an..8	
X		8178	Transport means description Free form description of the means of transport.	C an..17	
	C040		CARRIER Identification of a carrier by code and/or by name. Code preferred.	C 1	
		3127	Carrier identification Identification of party undertaking or arranging transport of goods between named points. Vessel owning carrier SCAC code.	C an..17	
		1131	Code list identification code Identification of a code list. Accepted values: 172 Carriers	C an..3	

Code list identifying carriers.

Only used for vessel owning carrier.

X		3055	Code list responsible agency code	C	an..3
X		3128	Carrier name	C	an..35
X	8101		TRANSIT DIRECTION INDICATOR CODE	C	1 an..3
X	C401		EXCESS TRANSPORTATION INFORMATION	C	1
			To provide details of reason for, and responsibility for, use of transportation other than normally utilized.		
X		8457	Excess transportation reason, coded	M	an..3
			Indication of reason for excess transportation.		
X		8459	Excess transportation responsibility, coded	M	an..3
			Indication of responsibility for excess transportation.		
X		7130	Customer authorization number	C	an..17
			Customer provided authorization number to allow supplier to ship goods under specific freight conditions. This number will be transmitted back to customer in the dispatch advice message.		
	C222		TRANSPORT IDENTIFICATION	C	1
			Code and/or name identifying the means of transport.		
		8213	Transport means identification name identifier	C	an..9
			Identifies the name of the transport means.		
			Lloyd's code of vessel used in transport.		
X		1131	Code list identification code	C	an..3
		3055	Code list responsible agency code	C	an..3
			Code specifying the agency responsible for a code list.		
			Accepted values:		
		11	Lloyd's register of shipping		
			A register of ocean going vessels maintained by Lloyd's of London.		
		8212	Transport means identification name	C	an..35
			Name identifying a means of transport.		
			Vessel name. Has always to be provided.		

Group: **LOC** Segment Group 9: Place/Location Identification
Position: 0510
Group: Segment Group 8 (Details of Transport) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Max Use: 99
Purpose: A group of segments to specify a location and date/time related to this leg of transport.

Segment Summary

	Pos. No.	Seg. ID	Name	Req. Des.	Max. Use	Group: Repeat
M	0520	LOC	Place/Location Identification	M	1	

Segment: **LOC** Place/Location Identification
Position: 0520 (Trigger Segment)
Group: Segment Group 9 (Place/Location Identification) Conditional (Optional)
Level: 2
Usage: Mandatory
Max Use: 1
Purpose: A segment to indicate a location such as origin, destination, stop off, etc. related to this leg of transport.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

LOC+9+USNYC::6:NEW YORK+US' or
 LOC+11+DEHAM::6:HAMBURG+DE' or
 LOC+7+:::KELSTERBACH+DE' or
 LOC+88+NEWRKNJ:87:NEWARK, NEW JERSEY+US'

Notes:

- Port of Load and Port of Discharge have always to be provided and have to be identified with valid UN location code.

Localized Customs Rules:

United States Imports: Carriers require Place of Delivery (LOC+7) in the case of FROB, IE (Import for Export), and TE (Transship for Export) cargo through the US.

Data Element Summary

Attributes	Data	Component		
	<u>Element</u>	<u>Element</u>	<u>Name</u>	<u>Req/Repeat/Repr</u>
M	3227		LOCATION FUNCTION CODE QUALIFIER	M 1 an..3
			Code identifying the function of a location.	
			Accepted values:	
		7	Place of delivery (3246) Place to which the goods are to be finally delivered under transport contract terms (operational term). Used to indicate the contractual Place of Delivery.	
		9	Place/port of loading (3334 + 3230) Seaport, airport, freight terminal, rail station or other place at which the goods (cargo) are loaded on to the means of transport being used for their carriage. Used to indicate the contractual Port of Load (Has always be provided and identified with UN location code).	
		11	Place/port of discharge (3392 + 3414) Seaport, airport, freight terminal, rail station or other place at which the goods (cargo) are unloaded from the means of transport having been used for their carriage. Used to indicate the contractual Port of Discharge (Has always be provided and identified with UN location code).	
		88	Place of receipt Identification of the location at which the cargo is actually received. Used to indicate the contractual Place of Receipt. MSC RECOMMENDS customer to always provide this location to ensure proper SI routing.	

	198	Original location Identifies the original location. Used for Bill of Lading Origin of Goods (contractual).		
C517		LOCATION IDENTIFICATION	C	1
		Identification of a location by code or name.		
	3225	Location name code	C	an..25
		Code specifying the name of the location.		
		UN location code has always to be provided for Ports of Load and Discharge. When C517, 3225 is populated then C517, 3055 has also to be provided.		
X	1131	Code list identification code	C	an..3
	3055	Code list responsible agency code	C	an..3
		Code specifying the agency responsible for a code list.		
		Left blank if only city name (element 3224) is used. If C517, 3055 is populated C517, 3225 has also to be provided.		
		Accepted values:		
	6	UN/ECE (United Nations - Economic Commission for Europe)		
	87	Assigned by carrier		
		Codes assigned by the carrier.		
	3224	Location name	C	an..256
		Name of the location.		
		Free text name for location requested for B/L printing purposes.		
C519		RELATED LOCATION ONE IDENTIFICATION	C	1
		Identification the first related location by code or name.		
	3223	Related place/location one identification	C	an..25
		Specification of the first related place/location by code.		
		ISO country code or country name.		

Group: **NAD** Segment Group 11: Name and Address
Position: 0570
Group:
Level: 1
Usage: Mandatory
Max Use: 99
Purpose: A group of segments to identify a party, related references, locations contacts, required documents, and charges to be paid by the party.

Segment Summary

	Pos. No.	Seg. ID	Name	Req. Des.	Max. Use	Group: Repeat
M	0580	NAD	Name and Address	M	1	
	0610		Segment Group 12: Contact Information	C		9
	0640		Segment Group 13: Document/Message Details	C		9
	0750		Segment Group 15: Reference	C		1

Segment: **NAD** Name and Address

Position: 0580 (Trigger Segment)

Group: Segment Group 11 (Name and Address) Mandatory

Level: 1

Usage: Mandatory

Max Use: 1

Purpose: A segment to identify the party's name, address, and function.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

MSC allows 6 * 35 characters for unstructured Name and Address. This is the party name and address which is to be printed on the B/L.

Element C080 first two 3036 sub-elements

Element C059 all four 3042 sub-elements

Unstructured Address Examples:

NAD+HI+553049:160:87++REQUESTOR COMPANY NAME+UNSTRUCTURED ADDRESS 1:UNSTRUCTURED ADDRESS 2:UNSTRUCTURED ADDRESS 3:UNSTRUCTURED ADDRESS 4' or

NAD+HI+805304:160:ZZZ++REQUESTOR COMPANY NAME EXCEEDS 35 C:HARACTERS+UNSTRUCTURED ADDRESS 1:UNSTRUCTURED ADDRESS 2:UNSTRUCTURED ADDRESS 3:UNSTRUCTURED ADDRESS 4'

or

NAD+CZ+++SHIPPER NAME+UNSTRUCTURED ADDRESS 1:UNSTRUCTURED ADDRESS 2:UNSTRUCTURED ADDRESS 3:UNSTRUCTURED ADDRESS 4'

The following optional structured addresses may also be provided:

Structured Street: Element C058 first two composites 3124

Structured City Name: Element 3164

Structured State/Province: Element C819 composite 3229

Structured Postal Code: Element 3251

Structured Country Code: Element 3207

Structured address example: [Note: structured elements shown in lower case for illustrative purposes.]

NAD+CZ+553049:160:87+structured street 1:structured street 2+SHIPPER NAME1:SHIPPER NAME2+UNSTRUCTURED ADDRESS 1: UNSTRUCTURED ADDRESS 2: UNSTRUCTURED ADDRESS 3: UNSTRUCTURED ADDRESS 4+new york+ny+10002+us'

Notes:

- NAD segment has always to be provided for Requestor (HI), Shipper (CZ), Carrier (CA) and Consignee (CN). Consignee Name has always to be provided for Consignee party. Consignee Address must not be provided for "To Order" shipments.
- Only one occurrence per qualifier is allowed.

1. Canadian Imports:

When Port of Discharge (0520 LOC) is a Canadian port, postal code of the Consignee (CN) must be provided whenever Consignee's unstructured address is provided.. Consignee address and postal code will be omitted when shipment is "to order".

2. United States Imports:

a. When Port of Discharge (0520LOC) is a US port, postal code of the Consignee (CN) will be provided whenever an unstructured address (element C059, 3042) is provided for the Consignee Party. Consignee address and postal code will be omitted when shipment is "to order".

b. Additionally, postal code of Main Notify Party (NI) will be provided whenever an unstructured address (element C059, 3042) is provided for the Main Notify Party.

c. Requestor may use the following qualifiers to identify parties needed by US Customs for Importer Security Filing (also known as "10+2").
 Note: MSC will ignore data sent using the following qualifiers with the exception of Ship To name/address in the case of FROB cargo through the US (see below).

NOTE: Requestor is solely responsible for "10+2" Importer Security Filings ("ISF+10"), including distribution of 10+2 data to any and all parties responsible for 10+2 filing and monitoring of ISF+10 status. MSC disclaims any and all liabilities for ISF+10 security filings and distribution of data to party or parties responsible for ISF+10 security filings.

- EX Exporter/Seller
- GO Goods owner/Buyer
- ST Ship To
- SU Supplier/Manufacturer
- CS Consolidator
- IM Importer

3. FROB, IE or TE cargo through the US:
 MSC requires the Ship To (ST) name and address for FROB, IE or TE cargo through the US.

4. Brazil Imports: (Discharge Port in Brazil)
- a. Government Reference/Tax ID for Consignee will be provided whenever Consignee address is provided.
 - b. To Order shipments: Name/ Unstructured Address and Government Reference /Tax ID (NAD+RFF+GN1153) for Main Notify Party will be provided whenever Consignee address is omitted.
 - c. Country code (3207) will be provided for Consignee whenever Consignee address is provided.
 - d. If Country code for Consignee is NOT Brazil, then Notify Party name/address and Government Reference/Tax ID (NAD+RFF+GN1153) will be provided.

5. Brazil Exports: (Load Port in Brazil)
 Shipper (CZ) Name / Unstructured Address and Government Reference/Tax ID (NAD+RFF+GN1153) will be provided.

Data Element Summary

Attributes	Data	Component		Req/Repeat/Repr
	Element	Element	Name	
M	3035		PARTY FUNCTION CODE QUALIFIER	M 1 an..3
			Code giving specific meaning to a party.	
			Accepted values:	
		CA	Carrier (3126) Party undertaking or arranging transport of goods between named points.	
			MSCU	
		CN	Consignee (3132) Party to which goods are consigned.	
			Has to be provided.	
		CS	Consolidator	
			Party consolidating various consignments, payments etc.	
		CZ	Consignor	
			(3336) Party which, by contract with a carrier, consigns or sends goods with the carrier, or has them conveyed by him. Synonym: shipper, sender.	
			Name of the Shipper has always to be provided.	
		EX	Exporter	

	(3030) Party who makes - or on whose behalf a Customs clearing agent or other authorized person makes - an export declaration. This may include a manufacturer, seller or other person. Within a Customs union, consignor may have the same meaning as exporter. Used to indicate the Exporter/Seller of record (for customs regulatory information).
FC	Contractor, main Firm or grouping of co-contractors which has been awarded the contract. Used to indicate contract party.
FP	Freight/charges payer Party responsible for the payment of freight. Used to indicate freight payer.
FW	Freight forwarder Party arranging forwarding of goods.
GO	Goods owner The party which owns the goods. Used to indicate the Goods owner/Buyer of record (for customs regulatory information).
HI	Requestor The party requesting an action. Has always to be provided. Is used to identify the customer originating the shipping instruction.
IM	Importer (3020) Party who makes - or on whose behalf a Customs clearing agent or other authorized person makes - an import declaration. This may include a person who has possession of the goods or to whom the goods are consigned.
N1	Notify party no. 1 The first party which is to be notified. Used to indicate 1st additional notify party.
N2	Notify party no. 2 The second party which is to be notified. Used to indicate 2nd additional notify party.
NI	Notify party (3180) Party to be notified of arrival of goods. Used to indicate main notify party.
ST	Ship to Identification of the party to where goods will be or have been shipped.
SU	Supplier (3280) Party which manufactures or otherwise has possession of goods, and consigns or makes them available in trade. Supplier/Manufacturer (for customs regulatory information). If multiple Supplier/Manufacturers exist and 10+2 data must be provided, then customer must enter each Supplier/Manufacturer in cargo description.

C082

PARTY IDENTIFICATION DETAILS

C 1

Identification of a transaction party by code.

M

3039

Party identifier

M

an..35

Code specifying the identity of a party.

Customer company alias at MSC (If element 3035 equals 'CA', must be the Carrier SCAC code).

- Has always to be provided for Requestor.
- If present, element C082,3055 is required.

	1131	Code list identification code	C	an..3
		Identification of a code list.		
		160 Party identification		
		Identification of parties, corporates, etc.		
>>	3055	Code list responsible agency code	C	an..3
		Code specifying the agency responsible for a code list.		
		Has always to be provided if party code (element C082,3039) is present.		
		Accepted values:		
		87 Assigned by carrier		
		Codes assigned by the carrier.		
	C058	NAME AND ADDRESS	C	1
		Unstructured name and address: one to five lines.		
M	3124	Name and address line	M	an..35
		Free form name and address description.		
	3124	Name and address line	C	an..35
		Free form name and address description.		
X	3124	Name and address line	C	an..35
X	3124	Name and address line	C	an..35
X	3124	Name and address line	C	an..35
	C080	PARTY NAME	C	1
		Identification of a transaction party by name, one to five lines. Party name may be formatted.		
		Used for company name.		
M	3036	Party name	M	an..35
		Name of a party involved in a transaction.		
	3036	Party name	C	an..35
		Name of a party involved in a transaction.		
X	3036	Party name	C	an..35
X	3036	Party name	C	an..35
X	3036	Party name	C	an..35
X	3045	Party name format code	C	an..3
	C059	STREET	C	1
		Street address and/or PO Box number in a structured address: one to four lines.		
		Used for company address.		
M	3042	Street and number/p.o. box	M	an..35
		Street and number in plain language, or Post Office Box No.		
	3042	Street and number/p.o. box	C	an..35
		Street and number in plain language, or Post Office Box No.		
	3042	Street and number/p.o. box	C	an..35
		Street and number in plain language, or Post Office Box No.		
	3042	Street and number/p.o. box	C	an..35
		Street and number in plain language, or Post Office Box No.		
	3164	CITY NAME	C	1 an..35
		Name of a city (a town, a village) for addressing purposes.		
	C819	COUNTRY SUB-ENTITY DETAILS	C	1
		To specify a part of a country (eg county or part of a city).		
	3229	Country sub-entity name code	C	an..9

		Identification of the name of sub-entities (state, province) defined by appropriate governmental agencies.		
X	1131	Code list identification code	C	an..3
X	3055	Code list responsible agency code	C	an..3
X	3228	Country sub-entity name	C	an..35
	3251	POSTAL IDENTIFICATION CODE	C	1 an..17
		Code specifying the postal zone or address.		
	3207	COUNTRY NAME CODE	C	1 an..3
		Identification of the name of the country or other geographical entity as specified in ISO 3166.		
		Two character ISO code.		

Group: **CTA** Segment Group 12: Contact Information
Position: 0610
Group: Segment Group 11 (Name and Address) Mandatory
Level: 2
Usage: Conditional (Optional)
Max Use: 9
Purpose: A group of segments identifying a contact and its communications related to the party.

Segment Summary

	Pos.	Seg.		Req.	Max.	Group:
	No.	ID	Name	Des.	Use	Repeat
M	0620	CTA	Contact Information	M	1	
	0630	COM	Communication Contact	C	9	

Segment: **CTA Contact Information**
Position: 0620 (Trigger Segment)
Group: Segment Group 12 (Contact Information) Conditional (Optional)
Level: 2
Usage: Mandatory
Max Use: 1
Purpose: A segment to identify a person or department within a party.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

CTA+IC+:PARTY CONTACT NAME'
 MSC RECOMMENDS that customer always provide contact for the HI (Requestor) party.

Data Element Summary

Attributes		Data	Component				
	<u>Element</u>	<u>Element</u>	<u>Name</u>		<u>Req/Repeat/Repr</u>		
	3139		CONTACT FUNCTION CODE		C	1	an..3
			Code specifying the function of a contact (e.g. department or person).				
			Accepted values:				
		IC	Information contact				
			Department/person to contact for questions regarding transactions.				
	C056		DEPARTMENT OR EMPLOYEE DETAILS		C	1	
			Code and/or name of a department or employee. Code preferred.				
X		3413	Department or employee identification		C		an..17
		3412	Department or employee		C		an..35
			The department or person within an organizational entity.				

Segment: **COM** Communication Contact
Position: 0630
Group: Segment Group 12 (Contact Information) Conditional (Optional)
Level: 3
Usage: Conditional (Optional)
Max Use: 9
Purpose: A segment to identify a communication number of a person or department to whom communication should be directed.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

COM+1234567890:TE'
 MSC RECOMMENDS that customer always provide contact details for the HI (Requestor) party.
 MSC RECOMMENDS that communication number is provided without blanks and other special characters.

Data Element Summary

Attributes		Data	Component		
	<u>Element</u>	<u>Element</u>	<u>Name</u>	<u>Req/Repeat/Repr</u>	
M	C076		COMMUNICATION CONTACT	M	3
			Communication number of a department or employee in a specified channel.		
M		3148	Communication number	M	an..512
			The communication number.		
M		3155	Communication number code qualifier	M	an..3
			Code qualifying the communication number.		
Accepted values:					
		EM	Electronic mail		
			Exchange of mail by electronic means.		
		FX	Telefax		
			Device used for transmitting and reproducing fixed graphic material (as printing) by means of signals over telephone lines or other electronic transmission media.		
		TE	Telephone		
			Voice/data transmission by telephone.		

Group: **DOC** Segment Group 13: Document/Message Details
Position: 0640
Group: Segment Group 11 (Name and Address) Mandatory
Level: 2
Usage: Conditional (Optional)
Max Use: 9
Purpose: A group of segments to identify required documents.

Segment Summary

	Pos. No.	Seg. ID	Name	Req. Des.	Max. Use	Group: Repeat
M	0650	DOC	Document/Message Details	M	1	

Segment: **DOC** Document/Message Details
Position: 0650 (Trigger Segment)
Group: Segment Group 13 (Document/Message Details) Conditional (Optional)
Level: 2
Usage: Mandatory
Max Use: 1
Purpose: A segment to identify a document required of, by or for the party.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

DOC+706+:27++5'

This segment is used to indicate the document type and to request the number of copies of each document to be provided by the Carrier. It also informs whether the Bill is to be Freighted or Not Freighted.

Usage examples:

1 original and 5 copies of a freighted Bill are requested:

DOC+706+:27++1'

DOC+707+:27++5'

2 copies of Sea waybill are requested:

DOC+710+:27++2'

Data Element Summary

Attributes	Data	Component		Req/Repeat/Repr	
	Element	Element	Name		
M	C002		DOCUMENT/MESSAGE NAME	M	1
		1001	Document name code	C	an..3
			Identification of a type of document/message by code or name. Code preferred. Code specifying the document name. Only one of the following categories will be provided: 1. Bill of Lading: only "706" and/or "707" can be provided. 2. Sea Waybill: only "710" will be provided. Accepted values: 706 Bill of lading original The original of the bill of lading issued by a transport company. When issued by the maritime industry it could signify ownership of the cargo. 707 Bill of lading copy A copy of the bill of lading issued by a transport company. 710 Sea waybill Non-negotiable document which evidences a contract for the carriage of goods by sea and the taking over of the goods by the carrier, and by which the carrier undertakes to deliver the goods to the consignee named in the document.		
X		1131	Code list identification code	C	an..3
X		3055	Code list responsible agency code	C	an..3
X		1000	Document name	C	an..35
	C503		DOCUMENT/MESSAGE DETAILS	C	1
			Identification of document/message by number, status, source and/or language.		
X		1004	Document/message number	C	an..35
		1373	Document status code	C	an..3
			Code specifying the status of a document. Accepted values:		

		26	Document not freighted		
			Document not to include freight figures.		
		27	Document freighted		
			Document to include freight figures.		
X		1366	Document/message source	C	an..70
X		3453	Language name code	C	an..3
X		1056	Version	C	an..9
X		1060	Revision number	C	an..6
X	3153		COMMUNICATION MEDIUM TYPE CODE	C	1 an..3
	1220		NUMBER OF COPIES OF DOCUMENT REQUIRED	C	1 n..2
			Number of originals or copies of a document stipulated or referred to as being required.		

Group: **RFF** Segment Group 15: Reference
Position: 0750
Group: Segment Group 11 (Name and Address) Mandatory
Level: 2
Usage: Conditional (Optional)
Max Use: 1
Purpose: A group of segments to specify a reference related to the party.

Segment Summary

	Pos.	Seg.		Req.	Max.	Group:
	No.	ID	Name	Des.	Use	Repeat
M	0760	RFF	Reference	M	1	

Segment: **RFF** Reference
Position: 0760 (Trigger Segment)
Group: Segment Group 15 (Reference) Conditional (Optional)
Level: 2
Usage: Mandatory
Max Use: 1
Purpose: A segment to identify a reference used by a party.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

RFF+GN:ABC1234567'

1. Brazil Exports:
When Port of Load (0520LOC) is a Brazilian port, Shipper's Government Reference/Tax ID (NAD+RFF+GN) is mandatory.
2. Brazil Imports:
 - a. When Port of Discharge (0520LOC) is a Brazilian port, and Consignee address is provided and country code for Consignee is Brazil, then Consignee's Government Reference/Tax ID (NAD+RFF+GN) will be provided.
 - b. When Port of Discharge (0520LOC) is a Brazilian port, and Consignee address is NOT provided OR Country Code for Consignee is NOT Brazil, then Government Reference/Tax ID (NAD+RFF+GN) and Name and Address for Main Notify have to be provided.
3. United States Imports:
 - a. Requestor may provide the Government Reference/Tax ID (NAD+RFF+GN) for the Importer to 3rd parties responsible for "10+2" Importer Security Filing ("ISF+10"), Carriers will ignore this information.

NOTE: Requestor is solely responsible for "10+2" Importer Security Filings ("ISF+10"), including distribution of 10+2 data to the party or parties responsible for 10+2 filing and monitoring of release status.
 MSC disclaims any and all liabilities related to Importer Security Filings and distribution of data to party or parties responsible for Importer Security Filings.

Data Element Summary

Attributes	Data	Component		Req/Repeat/Repr	
	<u>Element</u>	<u>Element</u>	<u>Name</u>		
M	C506		REFERENCE	M	1
			Identification of a reference.		
M		1153	Reference function code qualifier	M	an..3
			Code giving specific meaning to a reference segment or a reference number.		
			Accepted values:		
			GN Government reference number		
			Description to be provided.		
			Used to indicate Party Tax Id Number.		
		1154	Reference identifier	C	an..35
			Identifies a reference.		

Group: **GID** Segment Group 18: Goods Item Details
Position: 0900
Group:
Level: 1
Usage: Conditional (Required)
Max Use: 999
Purpose: A group of segments to describe the goods items for which transport is undertaken.

Segment Summary

	Pos. No.	Seg. ID	Name	Req. Des.	Max. Use	Group: Repeat
M	0910	GID	Goods Item Details	M	1	
	0980	PIA	Additional Product Id	C	9	
	0990	FTX	Free Text	C	99	
	1010		Segment Group 19: Name and Address	C		2
	1060		Segment Group 20: Measurements	C		99
	1120		Segment Group 22: Reference	C		999
	1150		Segment Group 23: Package Identification	C		999
	1370		Segment Group 29: Split Goods Placement	C		999
	1510		Segment Group 32: Dangerous Goods	C		99

Segment: **GID** Goods Item Details
Position: 0910 (Trigger Segment)
Group: Segment Group 18 (Goods Item Details) Conditional (Required)
Level: 1
Usage: Mandatory
Max Use: 1
Purpose: A segment to identify a goods item for which transport is undertaken. A goods item can be identified by up to three levels of packaging.

Dependency Notes:
Semantic Notes:
Comments:
Notes:

GID+1+2:CT::6:CARTON'

The GID segment is used to report packaging.

Refer to Appendix 2 for detail explanation regarding multiple levels of packaging.

Notes:

- At least one GID has to be transmitted per SI.
- GID sequence number (element 1496) will increment for each different outer package type.
- For each GID construct, the package count, and either the package code or package description will always be provided.
- MSC recommends to the customer that multi-level packaging structures be described in the commodity description (FTX+AAA) to ensure desired Bill print formatting.

Basic GID construct:

GID+1+7:CR::6:CRATES' (outer pack)
 FTX+AAA+++BALL BEARINGS'
 MEA+AAE+WT+KGM:7000' (weight of outer pack)
 MEA+AAW+WT+MTQ:34' (volume of outer pack)
 SGP+MSCU1234567+7' (7 crates in this container)
 GID+1++28:CT::6:CARTONS' (first inner pack)
 MEA+AAE+WT+KGM:6950' (weight of inner pack)
 SGP+MSCU1234567+28' (28 cartons in this container)

Data Element Summary

Attributes	Data	Component		
	<u>Element</u>	<u>Element</u>	<u>Name</u>	<u>Req/Repeat/Repr</u>
	1496		GOODS ITEM NUMBER	C 1 n..8
			Serial number differentiating each separate goods item entry of a consignment as contained in one document/declaration.	
			Has to increment for each new outer package type.	
	C213		NUMBER AND TYPE OF PACKAGES	C 1
			Number and type of individual parts of a shipment.	
			Used to indicate the outer package type and quantity.	
			The first instance of element C213 has always to be provided for each new outer package.	
		7224	Number of packages	C n..8
			Number of individual parts of a shipment either unpacked, or packed in such a way that they cannot be divided without first undoing the packing.	
			Number of outer packages (Has always to be provided).	
			Note: Must be a valid whole number (no commas or decimals).	
		7065	Package type description code	C an..17
			Code specifying the type of package.	
			Two-character UN/ECE recommendation 21, revision 6 package codes.	

		Note: For outer package, either the package code or description has always to be provided.	
X		1131	Code list identification code C an..3
		3055	Code list responsible agency code C an..3
		Code specifying the agency responsible for a code list.	
		Accepted values:	
		6	UN/ECE (United Nations - Economic Commission for Europe)
		7064	Type of packages C an..35
		Description of the form in which goods are presented.	
		Package type description.	
X		7233	Packaging related description code C an..3
	C213		NUMBER AND TYPE OF PACKAGES C 1
		Number and type of individual parts of a shipment.	
		Used to indicate the inner package type and quantity.	
		7224	Number of packages C n..8
		Number of individual parts of a shipment either unpacked, or packed in such a way that they cannot be divided without first undoing the packing.	
		Number of inner packages.	
		Note: Must be a valid whole number (no commas or decimals).	
		7065	Package type description code C an..17
		Code specifying the type of package.	
		Two-character UN/ECE recommendation 21, revision 6 package codes.	
X		1131	Code list identification code C an..3
		3055	Code list responsible agency code C an..3
		Code specifying the agency responsible for a code list.	
		Accepted values:	
		6	UN/ECE (United Nations - Economic Commission for Europe)
		7064	Type of packages C an..35
		Description of the form in which goods are presented.	
		Package type description.	
X		7233	Packaging related description code C an..3
	C213		NUMBER AND TYPE OF PACKAGES C 1
		Number and type of individual parts of a shipment.	
		Used to indicate the inner-inner package type and quantity.	
		7224	Number of packages C n..8
		Number of individual parts of a shipment either unpacked, or packed in such a way that they cannot be divided without first undoing the packing.	
		Number of inner-inner packages.	
		Note: Must be a valid whole number (no commas or decimals).	
		7065	Package type description code C an..17
		Code specifying the type of package.	
		Two-character UN/ECE recommendation 21, revision 6 package codes.	
X		1131	Code list identification code C an..3
		3055	Code list responsible agency code C an..3
		Code specifying the agency responsible for a code list.	
		Accepted values:	
		6	UN/ECE (United Nations - Economic Commission for Europe)
		7064	Type of packages C an..35
		Description of the form in which goods are presented.	

Package type description.

Segment: **PIA** Additional Product Id
Position: 0980
Group: Segment Group 18 (Goods Item Details) Conditional (Required)
Level: 2
Usage: Conditional (Optional)
Max Use: 9
Purpose: A segment to specify article numbers.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

PIA+5+HARMONIZED CODE:HS'

Localized Customs Rules:

1. United States Exports: When Port of Load (0520LOC) is a US port, MSC requires that either Harmonized Code or Schedule B Number be provided for each commodity.
2. United States Imports: When Port of Discharge is a US port, Harmonized Code will be provided.

Data Element Summary

Attributes	Data	Component			
	<u>Element</u>	<u>Element</u>	<u>Name</u>	<u>Req/Repeat/Repr</u>	
M	4347		PRODUCT ID. FUNCTION QUALIFIER Indication of the function of the product code. Accepted values: 5 Product identification	M 1 an..3	
M	C212		ITEM NUMBER IDENTIFICATION Goods identification for a specified source.	M 1	
		7140	Item number A number allocated to a group or item. MSC recommends customers not use '.' delimiter. 10 digit US Census Bureau Schedule B number for US exports (example: 0101905000). Or 6 to 10 digit Harmonized tariff system code (example: 010190).	C an..35	
		7143	Item type identification code Code specifying an item code. Accepted values: CG Commodity grouping Code for a group of articles with common characteristics (e.g. used for statistical purposes). HS Harmonised system	C an..3	

Segment: **FTX** Free Text
Position: 0990
Group: Segment Group 18 (Goods Item Details) Conditional (Required)
Level: 2
Usage: Conditional (Optional)
Max Use: 99
Purpose: A segment to specify processable supplementary information relating to the goods item.
Dependency Notes:
Semantic Notes:
Comments:
Notes: FTX+AAA+++COMMODITY DESCRIPTION'

If the Single Message Indicator is ON (FTX+DOC++SMI provided), then filing status has to be provided at the GID level and MSC will ignore filing status provided at the Header level. If the Single Message Indicator is OFF (FTX+DOC++SMI omitted), then filing status has to be provided at the Header level and MSC will ignore filing status provided at the GID level.

1. United States or Canadian Imports:
 - a. When Port of Discharge (0520LOC) is a US or Canadian port and Single Message Indicator is sent (0090FTX C506,1153 = "DOC" and C506,1154 = "SMI") , MFS "Manifest Filer Status" and Manifest Filing Country will be provided and at least one of the Manifest Filing Country Codes provided will match the Port of Discharge Country.
 - b. If Manifest Filer Status = 1 (Self) then "Manifest Filer Identification" C108, 4440(3) will be provided. Examples:
FTX+CCI++MFS+5:US' or
FTX+CCI++MFS+1:US:SCAC'
2. FROB Cargo through the US or Canada for Consolidation Shipments (FTX+DOC++SMI' provided):
 - a. For FROB cargo thru the US, e.g., Hamburg -> US -> Santiago, Customer must provide Filer Status (Self or Carrier) for Manifest Filing Country = US
 - b. For FROB cargo thru Canada, e.g., Hamburg -> Montreal -> Boston, Customer must provide Filer Status (Self or Carrier) for Manifest Filing Country = CA.
 - c. Filer status should NOT be provided for FROB cargo NOT involving US or CA.

Notes:
 - Multiple FTX segments can be used for commodity description

Data Element Summary

Attributes	Data Element	Component Element	Name	Req/Repeat/Repr
M	4451		TEXT SUBJECT CODE QUALIFIER Code specifying the subject of the text. Accepted values:	M 1 an..3
		AAA	Goods description [7002] Plain language description of the nature of the goods sufficient to identify them at the level required for banking, Customs, statistical or transport purposes, avoiding unnecessary detail (Generic term).	
		CCI	Customs clearance instructions Any coded or clear instruction agreed by customer and carrier regarding the declaration of the goods.	
X	4453		TEXT FUNCTION, CODED	C 1 an..3
	C107		TEXT REFERENCE Coded reference to a standard text and its source.	C 1

M		4441	Free text value code	M	an..17
			Code specifying free form text.		
			If code 'CCI' is used in element 4451, then the following has to be used: Accepted values: MFS Manifest Filer Status		
X		1131	Code list identification code	C	an..3
X		3055	Code list responsible agency code	C	an..3
	C108		TEXT LITERAL	C	1
			Free text; one to five lines.		
M		4440	Free text value	M	an..512
			Free form text.		
			if MFS is used in element C104,4441, then the following will be used in this sub-element: supplied values: 1 self 5 carrier		
		4440	Free text value	C	an..512
			Free form text.		
			Manifest filing country (2 CHARACTER ISO country code)		
			if manifest filing status is sent then manifest filing country code will be provided		
		4440	Free text value	C	an..512
			Free form text.		
			manifest filer identification		
			if manifest filing status = 1(self) , then manifest filing identification will be provided		

Group: **NAD** Segment Group 19: Name and Address
Position: 1010
Group: Segment Group 18 (Goods Item Details) Conditional (Required)
Level: 2
Usage: Conditional (Optional)
Max Use: 2
Purpose: A group of segments to identify different places of collection and/or delivery for the goods item.

Segment Summary

	<u>Pos.</u>	<u>Seg.</u>		<u>Req.</u>	<u>Max.</u>	<u>Group:</u>
	<u>No.</u>	<u>ID</u>	<u>Name</u>	<u>Des.</u>	<u>Use</u>	<u>Repeat</u>
M	1020	NAD	Name and Address	M	1	

Segment: **NAD** Name and Address
Position: 1020 (Trigger Segment)
Group: Segment Group 19 (Name and Address) Conditional (Optional)
Level: 2
Usage: Mandatory
Max Use: 1
Purpose: A segment to specify an address of a place of collection or delivery for a goods item.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

Examples:
NAD+OS+++ORIGINAL SHIPPER NAME+ORIGINAL SHIPPER STREET
ADDRESS:ADDRESS CONTINUED'

NAD+UC+++ULTIMATE CONSIGNEE NAME+ULTIMATE CONSIGNEE STREET
ADDRESS:ADDRESS CONTINUED'

Localized Customs Rules:
1. United States or Canada Imports:
a. When Port of Discharge (0520LOC) is a US port and Single Message Indicator is sent, then Manifest Filing Country = US has to be provided.
b. When Port of Discharge (0520LOC) is a Canadian port and Single Message Indicator is sent, then Manifest Filing Country = CA has to be provided.
c. If Filer status (0990FTX) is Carrier (5) for Manifest Filing Country = US or CA , then name and address has to be provided for the following parties :
OS Original Shipper
UC Ultimate Consignee
d. If Filer status is Self (1), Requestor should not provide name and address for OS and UC parties.

Data Element Summary

Attributes	Data	Component		
	<u>Element</u>	<u>Element</u>	<u>Name</u>	<u>Req/Repeat/Repr</u>
M	3035		PARTY FUNCTION CODE QUALIFIER	M 1 an..3
			Code giving specific meaning to a party.	
			Accepted values:	
		OS	Original shipper The original supplier of the goods.	
		UC	Ultimate consignee Party who has been designated on the invoice or packing list as the final recipient of the stated merchandise.	
X	C082		PARTY IDENTIFICATION DETAILS	C 1
			Identification of a transaction party by code.	
X		3039	Party identifier	M an..35
			Code specifying the identity of a party.	
X		1131	Code list identification code	C an..3
			Identification of a code list.	
X		3055	Code list responsible agency code	C an..3
			Code specifying the agency responsible for a code list.	
X	C058		NAME AND ADDRESS	C 1
			Unstructured name and address: one to five lines.	
X		3124	Name and address line	M an..35
			Free form name and address description.	
X		3124	Name and address line	C an..35

		Free form name and address description.		
X		3124 Name and address line	C	an..35
		Free form name and address description.		
X		3124 Name and address line	C	an..35
		Free form name and address description.		
X		3124 Name and address line	C	an..35
		Free form name and address description.		
	C080	PARTY NAME	C	1
		Identification of a transaction party by name, one to five lines. Party name may be formatted.		
M		3036 Party name	M	an..35
		Name of a party involved in a transaction.		
		Used to indicate company name.		
		3036 Party name	C	an..35
		Name of a party involved in a transaction.		
		Used only if first line of party name exceeds 35 Characters.		
X		3036 Party name	C	an..35
X		3036 Party name	C	an..35
X		3036 Party name	C	an..35
X		3045 Party name format code	C	an..3
	C059	STREET	C	1
		Street address and/or PO Box number in a structured address: one to four lines.		
M		3042 Street and number/p.o. box	M	an..35
		Street and number in plain language, or Post Office Box No.		
		3042 Street and number/p.o. box	C	an..35
		Street and number in plain language, or Post Office Box No.		
		3042 Street and number/p.o. box	C	an..35
		Street and number in plain language, or Post Office Box No.		
		3042 Street and number/p.o. box	C	an..35
		Street and number in plain language, or Post Office Box No.		

Group: **MEA** Segment Group 20: Measurements
Position: 1060
Group: Segment Group 18 (Goods Item Details) Conditional (Required)
Level: 2
Usage: Conditional (Optional)
Max Use: 99
Purpose: A group of segments to specify measurements applicable to a goods item.

Segment Summary

	Pos. No.	Seg. ID	Name	Req. Des.	Max. Use	Group: Repeat
M	1070	MEA	Measurements	M	1	

Segment: **MEA** Measurements
Position: 1070 (Trigger Segment)
Group: Segment Group 20 (Measurements) Conditional (Optional)
Level: 2
Usage: Mandatory
Max Use: 1
Purpose: A segment to specify measurements, other than dimensions, applicable to a goods item.
Dependency Notes:
Semantic Notes:
Comments:
Notes: MEA+AAE+WT+KGM:3000'

These volume and weight values may be used for outer, inner or inner-inner packaging.
 Note: Cargo Gross Weight has always to be provided for outer package.

Localized Customs Rules:

Brazil

When Port of Discharge or Port of Load (0520LOC) is a Brazilian port, the following units of measurement have to be provided:

Cargo Gross weight in kilograms

Cargo Gross volume in cubic meters

All numeric values must conform to below rules:

- Decimal must be represented using the dot ('.')
- Group separators are invalid:

1. Weight: Maximum 3 bytes of precision allowed: examples: valid - "1000.123"
 invalid - "1,000.123", "1.000,123"

2. Volume: Maximum 4 bytes of precision allowed: examples: valid - "1000.1234"
 invalid - "1,000.1234", "1.000,1234"

Data Element Summary

Attributes	Data	Component			
	<u>Element</u>	<u>Element</u>	<u>Name</u>	<u>Req/Repeat/Repr</u>	
M	6311		MEASUREMENT ATTRIBUTE CODE	M	1 an..3
			Code specifying the measurement attribute.		
			Accepted values:		
		AAE	Measurement		
			[6314] Value of the measured unit.		
	C502		MEASUREMENT DETAILS	C	1
			Identification of measurement type.		
		6313	Measured attribute code	C	an..3
			Code specifying the attribute measured.		
			Accepted values:		
		AAW	Gross volume		
			The observed volume unadjusted for factors such as temperature or gravity.		
			Total Cubic Displacement of the package		
		WT	Weight		
			[6150] Numeric value of weight.		
			Gross weight of the package including tare.		
X		6321	Measurement significance, coded	C	an..3
X		6155	Non-discrete measurement name code	C	an..17
X		6154	Non-discrete measurement name	C	an..70
	C174		VALUE/RANGE	C	1

		Measurement value and relevant minimum and maximum values of the measurement range.		
M	6411	Measurement unit code	M	an..3
		Code specifying the unit of measurement.		
		If provided then C174, 6314 will also be provided.		
		Accepted values:		
		For Weight:		
		KGM = Kilograms		
		LBR = Pounds		
		For Volume:		
		FTQ = Cubic feet		
		MTQ = Cubic meters		
M	6314	Measurement value	M	an..18
		Value of the measured unit.		

Group: **RFF** Segment Group 22: Reference
Position: 1120
Group: Segment Group 18 (Goods Item Details) Conditional (Required)
Level: 2
Usage: Conditional (Optional)
Max Use: 999
Purpose: A group of segments to identify references to a goods item.

Segment Summary

	<u>Pos.</u> <u>No.</u>	<u>Seg.</u> <u>ID</u>	<u>Name</u>	<u>Req.</u> <u>Des.</u>	<u>Max.</u> <u>Use</u>	<u>Group:</u> <u>Repeat</u>
M	1130	RFF	Reference	M	1	

Segment: **RFF** Reference
Position: 1130 (Trigger Segment)
Group: Segment Group 22 (Reference) Conditional (Optional)
Level: 2
Usage: Mandatory
Max Use: 1
Purpose: A segment to identify a reference to a goods item.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

RFF+ON:PURCHASE ORDER NUMBER'
RFF+BH:HOUSE_BL_NUMBER'

When Single Message Indicator is ON (FTX+DOC++SMI provided), House Bill Number (BH) will be provided for each commodity.

1. Brazil Exports:
 - a. When Port of Load is a Brazilian port, the following will be provided for each commodity:
ABT NCM (Nomenclature Comun do Mercosul) commodity code
ED Export Declaration Type
ADU Customs House Broker Reference (also known as "Export Dispatch Declaration" or "DDE")
 - b. One of the following three qualifiers will be provided for Export Declaration Type:
RFF+ED:DE' - indicates Export Declaration Type = DE.
RFF+ED:DSE' - indicates Export Declaration Type = DSE.
RFF+ED:PCI' - indicates Export Declaration Type = PCI.
2. Brazil Imports:
When Port of Discharge is a Brazilian port, the following will be provided for each commodity:
ABT NCM (Nomenclature Comun do Mercosul) commodity code
3. United States Exports:
When Port of Load (0520LOC) is a US port, Internal Transaction Number (TN) will be provided either at the header or GID (for each commodity). If TN is provided at the header level, it will not be provided at the GID level and vice versa.
4. European Union Exports:
When Port of Load (0520LOC) is a port within a country of the EU, Movement Reference Number (MRN) may be provided either at the header or GID (for each commodity). If TN is provided at the Header level, it will not be provided at the GID level and vice versa.

The TN reference may also be used to report similar numbers issued by other countries when the export declaration is accepted by customs.

Data Element Summary

Attributes	Data Component		Name	Req/Repeat/Repr	
	Element	Element			
M	C506		REFERENCE	M	1
			Identification of a reference.		
M		1153	Reference function code qualifier	M	an..3
			Code giving specific meaning to a reference segment or a reference number.		
			Accepted values:		
			ABT		Customs declaration number

	[1426] Number, assigned or accepted by Customs, to identify a Goods declaration.
	NCM (Nomenclature Comun do Mercosul) code
	Must be numeric; can be up to 8 digits first 4 are mandatory.
	Must not exceed maximum limit of 140 per commodity.
ABW	Stock keeping unit number
	SKU number of commodity.
ADU	Broker reference 1
	Description to be provided.
	Used for Customs House Broker Reference Number
	Used to indicate Brazil's Export Dispatch Declaration (EDD); also known as "DDE"
	When this is provided, single value will be sent.
AFG	Tariff number
AKG	Vehicle Identification Number (VIN)
	The identification number which uniquely distinguishes one vehicle from another through the lifespan of the vehicle.
BH	House bill of lading number
	Reference number assigned to a house bill of lading, see: 1001 = 714.
	Mandatory when Single Message Indicator is sent.
BN	Booking reference number
	[1016] Reference number assigned by the carrier or his agent when cargo space is reserved prior to loading.
	Carrier Booking Number
	Only provided here when the MSC agency assigned distinct booking numbers to each cargo.
CG	Consignee's order number
CT	Contract number
	Reference number of a contract concluded between parties.
	Usage contingent on mutual agreement between customer and MSC.
ED	Export declaration
	Number assigned by the exporter to his export declaration number submitted to an authority.
	Export Declaration Type
	When this is provided, single value will be sent.
IV	Invoice number
	[1334] Reference number assigned by the seller to a Commercial Invoice.
	Indicates Shipper's Commercial Invoice Number.
	Usage contingent on mutual agreement between customer and MSC.
ON	Order number (purchase)
	[1022] Reference number assigned by the buyer to an order.
	Used only if each commodity has a different PO number.
	Note: If provided here, the PO Number will not appear at the header level (RFF Group 3).
RF	Export reference number
	Reference number given to an export shipment.
	Brazil Export Registry Number
	When this is provided, single value has to be sent.

TN Transaction reference number
 Reference applied to a transaction between two or more parties over a defined life cycle; e.g. number applied by importer or broker to obtain release from Customs, may then be used to control declaration through final accounting (synonyms: declaration, entry number).
 Used to indicate the unique Internal Transaction number (ITN) as provided by the US AES (Automated Export System) or Movement Reference number (MRN) as provided by the National administrations of the EU.
 The TN reference may also be used to report similar numbers issued by other countries when the export declaration is accepted by customs.

1154 Reference identifier **C** **an..35**

Identifies a reference.

When C507,1153 = "ED", supplied value must be one of:

DE
 DSE
 PCI

Group: **PCI** Segment Group 23: Package Identification
Position: 1150
Group: Segment Group 18 (Goods Item Details) Conditional (Required)
Level: 2
Usage: Conditional (Optional)
Max Use: 999
Purpose: A group of segments to specify marks and numbers of a goods item.

Segment Summary

	<u>Pos.</u>	<u>Seg.</u>		<u>Req.</u>	<u>Max.</u>	<u>Group:</u>
	<u>No.</u>	<u>ID</u>	<u>Name</u>	<u>Des.</u>	<u>Use</u>	<u>Repeat</u>
M	1160	PCI	Package Identification	M	1	

Segment: **PCI** Package Identification
Position: 1160 (Trigger Segment)
Group: Segment Group 23 (Package Identification) Conditional (Optional)
Level: 2
Usage: Mandatory
Max Use: 1
Purpose: A segment to specify marks and numbers of a goods item.
Dependency Notes:
Semantic Notes:
Comments:
Notes:

PCI++MARKS AND NUMBERS:MARKS AND NUMBERS:CONTINUED'

Used for Marks and Numbers of package.

Notes:

- MSC recommends to customers a maximum 17 characters per line in order to ensure best Bill print result.
- The total amount of marks and numbers cannot exceed a 50 line by 35 character structure:
 - If all composites (7102) of element C210 are used, the maximum number of PCI segments is 5 (total of 50 lines).
 - If only the first composite is used the maximum allowable number of PCI segments is 50 (total of 50 lines).

Data Element Summary

Attributes	Data	Component		
	<u>Element</u>	<u>Element</u>	<u>Name</u>	<u>Req/Repeat/Repr</u>
X	4233		MARKING INSTRUCTIONS, CODED	C 1 an..3
	C210		MARKS & LABELS	C 1
M		7102	Shipping marks Shipping marks on packages in free text; one to ten lines.	M an..35
		7102	Shipping marks Marks and numbers identifying individual packages.	C an..35
		7102	Shipping marks Marks and numbers identifying individual packages.	C an..35
		7102	Shipping marks Marks and numbers identifying individual packages.	C an..35
		7102	Shipping marks Marks and numbers identifying individual packages.	C an..35
		7102	Shipping marks Marks and numbers identifying individual packages.	C an..35
		7102	Shipping marks Marks and numbers identifying individual packages.	C an..35
		7102	Shipping marks Marks and numbers identifying individual packages.	C an..35
		7102	Shipping marks Marks and numbers identifying individual packages.	C an..35
		7102	Shipping marks Marks and numbers identifying individual packages.	C an..35
		7102	Shipping marks Marks and numbers identifying individual packages.	C an..35
		7102	Shipping marks Marks and numbers identifying individual packages.	C an..35

Group: **SGP** Segment Group 29: Split Goods Placement
Position: 1370
Group: Segment Group 18 (Goods Item Details) Conditional (Required)
Level: 2
Usage: Conditional (Optional)
Max Use: 999
Purpose: A group of segments to specify the distribution of a goods item among the transport equipment.

Segment Summary

	Pos. No.	Seg. ID	Name	Req. Des.	Max. Use	Group: Repeat
M	1380	SGP	Split Goods Placement	M	1	
	1390		Segment Group 30: Measurements	C		9

Segment: **SGP** Split Goods Placement
Position: 1380 (Trigger Segment)
Group: Segment Group 29 (Split Goods Placement) Conditional (Optional)
Level: 2
Usage: Mandatory
Max Use: 1
Purpose: A segment to identify the equipment in which goods are transported.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

SGP+CONTAINER NUMBER+2'

The SGP segment is used to indicate the container number in which the commodity and package is stored

Notes:

- Has always to be provided for each GID outer package definition
- Recommended for Inner or Inner-Inner definitions but not enforced.
- In the case of Split Goods (same commodity within multiple containers), the SGP segment will repeat within the GID group for each container.
- Number of packages (element 7224) is also required.
- MEA segments under the SGP will report the weight and if available, the volume of the commodity within that container.
- Each distinct container number listed in an SGP (composite element C237 8260) has to have a matching EQD segment.

Data Element Summary

Attributes		Data	Component		
	<u>Element</u>	<u>Element</u>	<u>Name</u>	<u>Req/Repeat/Repr</u>	
M	C237		EQUIPMENT IDENTIFICATION	M	1
			Marks (letters/numbers) identifying equipment.		
		8260	Equipment identification number	C	an..17
			Marks (letters and/or numbers) which identify equipment e.g. unit load device.		
			Container number		
X		1131	Code list identification code	C	an..3
X		3055	Code list responsible agency code	C	an..3
X		3207	Country name code	C	an..3
	7224		NUMBER OF PACKAGES	C	1 n..8
			Number of individual parts of a shipment either unpacked, or packed in such a way that they cannot be divided without first undoing the packing.		
			Number of outer packages (must be a valid whole number with no decimal or commas).		

Group: **MEA** Segment Group 30: Measurements
Position: 1390
Group: Segment Group 29 (Split Goods Placement) Conditional (Optional)
Level: 3
Usage: Conditional (Optional)
Max Use: 9
Purpose: A group of segments to identify measurements.

Segment Summary

	Pos. No.	Seg. ID	Name	Req. Des.	Max. Use	Group: Repeat
M	1400	MEA	Measurements	M	1	

Segment: **MEA** Measurements
Position: 1400 (Trigger Segment)
Group: Segment Group 30 (Measurements) Conditional (Optional)
Level: 3
Usage: Mandatory
Max Use: 1
Purpose: A segment to specify measurements of that portion of the goods item in the equipment.
Dependency Notes:
Semantic Notes:
Comments:
Notes: MEA+AAE+WT+KGM:300'

MSC recommends to the customers that weight and/or volume should be sent in all cases (to report the weight and volume within each container).
 All numeric values will conform to below rules:
 - Decimal will be represented using the dot ('.')
 - Group separators are invalid:
 1. Weight: Maximum 3 bytes of precision allowed:
 examples: valid - "1000.123"
 invalid - "1,000.123", "1.000,123"
 2. Volume: Maximum 4 bytes of precision allowed:
 examples: valid - "1000.1234"
 invalid - "1,000.1234", "1.000,1234"

Data Element Summary

Attributes	Data Element	Component	Name	Req/Repeat/Repr
M	6311		MEASUREMENT ATTRIBUTE CODE Code specifying the measurement attribute. Accepted values: AAE Measurement [6314] Value of the measured unit.	M 1 an..3
	C502		MEASUREMENT DETAILS Identification of measurement type.	C 1
		6313	Measured attribute code Code specifying the attribute measured. Accepted values: AAW Gross volume The observed volume unadjusted for factors such as temperature or gravity. WT Weight [6150] Numeric value of weight.	C an..3
X		6321	Measurement significance, coded	C an..3
X		6155	Non-discrete measurement name code	C an..17
X		6154	Non-discrete measurement name	C an..70
	C174		VALUE/RANGE Measurement value and relevant minimum and maximum values of the measurement range.	C 1
M		6411	Measurement unit code Code specifying the unit of measurement. If provided then C174, 6314 will also be provided. Accepted values: For Weight: KGM = Kilograms	M an..3

LBR = Pounds

For Volume:

FTQ = Cubic feet

MTQ = Cubic meters

>>

6314

Measurement value

C

an..18

Value of the measured unit.

Group: **DGS** Segment Group 32: Dangerous Goods
Position: 1510
Group: Segment Group 18 (Goods Item Details) Conditional (Required)
Level: 2
Usage: Conditional (Optional)
Max Use: 99
Purpose: A group of segments to specify dangerous goods details related to the goods item. One goods item may be in different dangerous goods classes.

Segment Summary

	Pos. No.	Seg. ID	Name	Req. Des.	Max. Use	Group: Repeat
M	1520	DGS	Dangerous Goods	M	1	
	1530	FTX	Free Text	C	99	
	1540		Segment Group 33: Contact Information	C		9

Segment: **DGS** Dangerous Goods
Position: 1520 (Trigger Segment)
Group: Segment Group 32 (Dangerous Goods) Conditional (Optional)
Level: 2
Usage: Mandatory
Max Use: 1
Purpose: A segment to indicate the class of dangerous goods, packing group, etc.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

DGS+IMD+3.2:456+4056+098:FAH+2+EMS NBR'

Notes:

- The Dangerous Goods details apply to the package of the GID in which they appear.
 - MSC highly recommends to use DGS information only for informational purposes. All information the customer wants to have have printed on the Bill of Lading should be sent as description of goods (FTX+AAA in segment group 18)!

Data Element Summary

Attributes	Data	Component			
	<u>Element</u>	<u>Element</u>	<u>Name</u>	<u>Req/Repeat/Repr</u>	
	8273		DANGEROUS GOODS REGULATIONS CODE	C	1 an..3
			Code specifying a dangerous goods regulation.		
			Accepted values:		
			IMD		IMO IMDG code
					Regulations regarding the transportation of dangerous goods on ocean-going vessels issued by the International Maritime Organization.
	C205		HAZARD CODE	C	1
			The identification of the dangerous goods in code.		
M		8351	Hazard code identification	M	an..7
			Dangerous goods code.		
			IMO Class code.		
		8078	Hazard substance/item/page number	C	an..7
			Number giving additional hazard code classification of a goods item within the applicable dangerous goods regulation.		
X		8092	Hazard code version number	C	an..10
	C234		UNDG INFORMATION	C	1
			Information on dangerous goods, taken from the United Nations Dangerous Goods classification.		
		7124	UNDG number	C	n4
			Unique serial number assigned within the United Nations to substances and articles contained in a list of the dangerous goods most commonly carried.		
X		7088	Dangerous goods flashpoint	C	an..8
	C223		DANGEROUS GOODS SHIPMENT FLASHPOINT	C	1
			Temperature at which a vapor can be ignited as per ISO 1523/73.		
		7106	Shipment flashpoint	C	n3
			Temperature in centigrade determined by the closed cup test as per ISO 1523/73 where a vapour is given off that can be ignited.		
		6411	Measurement unit code	C	an..3
			Code specifying the unit of measurement.		
			Accepted values:		
			CEL = Celsius		
			FAH = Fahrenheit		

8339

PACKING GROUP, CODED

C 1 an..3

Identification of a packing group by code.

Accepted values:

- | | |
|---|--|
| 1 | Great danger
Packaging meeting criteria to pack hazardous materials with great danger. Group I according to IATA/IMDG/ADR/RID regulations. |
| 2 | Medium danger
Packaging meeting criteria to pack hazardous materials with medium danger. Group II according to IATA/IDMG/ADR/RID regulations. |
| 3 | Minor danger
Packaging meeting criteria to pack hazardous materials with minor danger. Group III according to IATA/IDMG/ADR/RID regulations. |

8364

EMS NUMBER

C 1 an..6

Emergency procedures for ships carrying dangerous goods.

Segment: **FTX** Free Text
Position: 1530
Group: Segment Group 32 (Dangerous Goods) Conditional (Optional)
Level: 3
Usage: Conditional (Optional)
Max Use: 99
Purpose: A segment to specify the dangerous goods technical name and to specify any additional dangerous goods information.

Dependency Notes:

Semantic Notes:

Comments:

Notes: FTX+AAD+++PROPER SHIPPING NAME'

Data Element Summary

Attributes	Data	Component		Req/Repeat/Repr
	Element	Element	Name	
M	4451		TEXT SUBJECT CODE QUALIFIER Code specifying the subject of the text. Accepted values: AAC Dangerous goods additional information Additional information concerning dangerous goods. Used for General Haz Mat comments. AAD Dangerous goods, technical name Proper shipping name, supplemented as necessary with the correct technical name, by which a dangerous substance or article may be correctly identified or which is sufficiently informative to permit identification by reference to generally available literature. Used to indicate Proper Shipping Name Maximum 3 lines of 30 characters allowed. HAZ Hazard information Information pertaining to a hazard. Used to indicate the Haz Mat Placard (Explosive, Flammable, etc.)	M 1 an..3
X	4453		TEXT FUNCTION, CODED	C 1 an..3
X	C107		TEXT REFERENCE Coded reference to a standard text and its source.	C 1
X		4441	Free text value code Code specifying free form text.	M an..17
X		1131	Code list identification code Identification of a code list.	C an..3
X		3055	Code list responsible agency code Code specifying the agency responsible for a code list.	C an..3
	C108		TEXT LITERAL Free text; one to five lines.	C 1
M		4440	Free text value Free form text.	M an..512

Group: **CTA** Segment Group 33: Contact Information
Position: 1540
Group: Segment Group 32 (Dangerous Goods) Conditional (Optional)
Level: 3
Usage: Conditional (Optional)
Max Use: 9
Purpose: A group of segments to identify a contact to whom communication regarding the dangerous goods can be directed.

Segment Summary

	Pos. No.	Seg. ID	Name	Req. Des.	Max. Use	Group: Repeat
M	1550	CTA	Contact Information	M	1	
	1560	COM	Communication Contact	C	9	

Segment: **CTA** Contact Information
Position: 1550 (Trigger Segment)
Group: Segment Group 33 (Contact Information) Conditional (Optional)
Level: 3
Usage: Mandatory
Max Use: 1
Purpose: A segment to identify a person or department.

Dependency Notes:

Semantic Notes:

Comments:

Notes: CTA+HG+:HAZARDOUS CONTACT NAME'

Data Element Summary

Attributes	Data	Component		
	<u>Element</u>	<u>Element</u>	<u>Name</u>	<u>Req/Repeat/Repr</u>
	3139		CONTACT FUNCTION CODE	C 1 an..3
			Code specifying the function of a contact (e.g. department or person).	
			Accepted values:	
		HG	Dangerous goods contact	
			Department/person to be contacted for details about the transportation of dangerous goods/hazardous material.	
	C056		DEPARTMENT OR EMPLOYEE DETAILS	C 1
			Code and/or name of a department or employee. Code preferred.	
X		3413	Department or employee identification	C an..17
		3412	Department or employee	C an..35
			The department or person within an organizational entity.	
			Emergency Contact Name.	

Segment: **COM** Communication Contact
Position: 1560
Group: Segment Group 33 (Contact Information) Conditional (Optional)
Level: 4
Usage: Conditional (Optional)
Max Use: 9
Purpose: A segment to identify a communication number of a person or department.

Dependency Notes:

Semantic Notes:

Comments:

Notes: COM+1234567890:TE'

Data Element Summary

Attributes	Data	Component		Req/Repeat/Repr
	<u>Element</u>	<u>Element</u>	<u>Name</u>	
M	C076		COMMUNICATION CONTACT	M 3
			Communication number of a department or employee in a specified channel.	
M		3148	Communication number	M an..512
			The communication number.	
			Emergency contact phone number.	
M		3155	Communication number code qualifier	M an..3
			Code qualifying the communication number.	
			Accepted values:	
			TE Telephone	
			Voice/data transmission by telephone.	

Group: **EQD** Segment Group 37: Equipment Details
Position: 1650
Group:
Level: 1
Usage: Conditional (Optional)
Max Use: 999
Purpose: A group of segments to specify equipment in which goods are transported.

Segment Summary

	Pos. No.	Seg. ID	Name	Req. Des.	Max. Use	Group: Repeat
M	1660	EQD	Equipment Details	M	1	
	1690	MEA	Measurements	C	9	
	1710	SEL	Seal Number	C	99	
	1740	TMP	Temperature	C	1	
	1750	FTX	Free Text	C	9	
	1760	RFF	Reference	C	9	
	1850		Segment Group 39: Name and Address	C		1

Segment: **EQD** Equipment Details
Position: 1660 (Trigger Segment)
Group: Segment Group 37 (Equipment Details) Conditional (Optional)
Level: 1
Usage: Mandatory
Max Use: 1
Purpose: A segment to specify equipment, and equipment size and type used in the transport.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

EQD+CN+ABCD1234567+22RT:::DESCRIPTION+2'

Notes: - One EQD will always be provided for each distinct container listed in the SGP segments.

Data Element Summary

Attributes	Data	Component			
	<u>Element</u>	<u>Element</u>	<u>Name</u>	<u>Req/Repeat/Repr</u>	
M	8053		EQUIPMENT TYPE CODE QUALIFIER	M	1 an..3
			Code qualifying a type of equipment.		
			Accepted values:		
		CN	Container		
			Equipment item as defined by ISO for transport. It must be of: A) permanent character, strong enough for repeated use; B) designed to facilitate the carriage of goods, by one or more modes of transport, without intermediate reloading; C) fitted with devices for its ready handling, particularly.		
>>	C237		EQUIPMENT IDENTIFICATION	C	1
			Marks (letters/numbers) identifying equipment.		
>>		8260	Equipment identification number	C	an..17
			Marks (letters and/or numbers) which identify equipment e.g. unit load device.		
X		1131	Code list identification code	C	an..3
X		3055	Code list responsible agency code	C	an..3
X		3207	Country name code	C	an..3
	C224		EQUIPMENT SIZE AND TYPE	C	1
			Code and or name identifying size and type of equipment. Code preferred.		
		8155	Equipment size and type description code	C	an..10
			Code specifying the size and type of equipment.		
			All ISO equipment type codes are accepted.		
			Refer to D.99B Data Element Dictionary for acceptable code values.		
X		1131	Code list identification code	C	an..3
X		3055	Code list responsible agency code	C	an..3
		8154	Equipment size and type description	C	an..35
			Free form description of the size and type of equipment.		
	8077		EQUIPMENT SUPPLIER, CODED	C	1 an..3
			To indicate the party that is the supplier of the equipment.		
			Accepted values:		
		1	Shipper supplied		
			The transport equipment is supplied by the shipper.		
		2	Carrier supplied		
			The transport equipment is supplied by the carrier.		

Segment: **MEA** Measurements
Position: 1690
Group: Segment Group 37 (Equipment Details) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Max Use: 9
Purpose: A segment to specify measurements, other than dimensions, associated with the equipment, such as weight.

Dependency Notes:
Semantic Notes:
Comments:
Notes:

MEA+AAE+AAS+CBM:25'

These values apply to every individual container.

Localized customs rules:

Brazil:

When Port of Discharge or Port of Load (0520LOC) is a Brazilian port, container tare weight in kilograms has to be provided.

All numeric values will conform to below rules:

- Decimal will be represented using the dot ('.')
- Group separators are invalid:

1. Weight and Air Flow: Maximum 3 bytes of precision allowed:

examples:

valid - "1000.123"

invalid - "1,000.123", "1.000,123"

2. Volume: Maximum 4 bytes of precision allowed:

examples:

valid - "1000.1234"

invalid - "1,000.1234", "1.000,1234"

Data Element Summary

Attributes	Data	Component			
	<u>Element</u>	<u>Element</u>	<u>Name</u>	<u>Req/Repeat/Repr</u>	
M	6311		MEASUREMENT ATTRIBUTE CODE Code specifying the measurement attribute. Accepted values: AAE Measurement [6314] Value of the measured unit.	M 1 an..3	
>>	C502		MEASUREMENT DETAILS Identification of measurement type.	C 1	
>>		6313	Measured attribute code Code specifying the attribute measured. Accepted values: AAS Air flow Applies only to reefer equipment. AAW Gross volume The observed volume unadjusted for factors such as temperature or gravity. Cubic displacement of container. T Tare weight Weight excluding goods and loose accessories. Weight of empty container.	C an..3	

		WT	Weight		
			[6150] Numeric value of weight.		
			Container total cargo weight (excludes container tare weight).		
X		6321	Measurement significance, coded	C	an..3
X		6155	Non-discrete measurement name code	C	an..17
X		6154	Non-discrete measurement name	C	an..70
>>	C174		VALUE/RANGE	C	1
			Measurement value and relevant minimum and maximum values of the measurement range.		
M		6411	Measurement unit code	M	an..3
			Code specifying the unit of measurement.		
			Accepted values:		
			For Weight:		
			KGM = Kilograms		
			LBR = Pounds		
			For Volume:		
			FTQ = Cubic Feet		
			MTQ = Cubic Meters		
			For Air Flow:		
			CBM = Cubic Meters per Hour		
>>		6314	Measurement value	C	an..18
			Value of the measured unit.		

Segment: **SEL** Seal Number
Position: 1710
Group: Segment Group 37 (Equipment Details) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Max Use: 99
Purpose: A segment to identify seal and seal issuer associated with the equipment.

Dependency Notes:

Semantic Notes:

Comments:

Notes: SEL+SEAL NBR+SH'

Data Element Summary

Attributes	Data	Component			
	<u>Element</u>	<u>Element</u>	<u>Name</u>	<u>Req/Repeat/Repr</u>	
	9308		SEAL NUMBER	C 1	an..15
			The number of a custom seal or another seal affixed to the containers or other transport unit.		
			MSC has increased the size of the seal number from 10 to 15 characters.		
	C215		SEAL ISSUER	C 1	
			Identification of the issuer of a seal on equipment either by code or by name.		
		9303	Sealing party, coded	C	an..3
			Identification of the issuer of the seal number.		
			MSC recommends to the customer that the seal issuer be provided if seal number is present.		
			Accepted values:		
		AC	Quarantine agency		
			Agency responsible for the administration of statutory disease controls on the movement of people, animals and plants.		
			Used for veterinary seal.		
		CA	Carrier		
			Party undertaking or arranging transport of goods between named points.		
		CU	Customs		
		SH	Shipper		
			Party which, by contract with a carrier, consigns or sends goods with the carrier, or has them conveyed by him.		
		TO	Terminal operator		
			Party which handles the loading and unloading of marine vessels.		

Segment: **TMP** Temperature
Position: 1740
Group: Segment Group 37 (Equipment Details) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Max Use: 1
Purpose: A segment to indicate a temperature setting for the equipment.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

TMP+2+033:CEL'

This segment must only be provided if refrigerated equipment is listed in EQD.

MSC interpretation:

- If temperature is negative the setting will be signed with a "-" sign.
- Un-signed temperature is assumed to be positive.
- Temperature range can be from -099 to 998.
- Use element C239, 6246 with value "999" to indicate non-operating equipment.

Data Element Summary

Attributes	Data	Component			
	<u>Element</u>	<u>Element</u>	<u>Name</u>	<u>Req/Repeat/Repr</u>	
M	6245		TEMPERATURE QUALIFIER	M	1 an..3
			A code giving specific meaning to the temperature.		
			Accepted values:		
		2	Transport temperature		
			The temperature at which cargo is to be kept while it is under transport.		
	C239		TEMPERATURE SETTING	C	1
			The temperature under which the goods are (to be) stored or shipped.		
	6246		Temperature setting	C	n3
			The actual temperature value in degrees Celsius (e.g. 008, 020).		
			Temperature will contain 3 valid numeric digits (plus/minus sign and decimal are not counted as characters).		
			Valid examples: 001, -001, -05.5, 55.5, +55.5		
			Invalid examples: 1, -1, -01, 5.5, +5.5		
			Note: Decimal will be represented using the dot (".").		
	6411		Measurement unit code	C	an..3
			Code specifying the unit of measurement.		
			Accepted values:		
			CEL = Celsius		
			FAH = Fahrenheit		

Segment: **FTX** Free Text
Position: 1750
Group: Segment Group 37 (Equipment Details) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Max Use: 9
Purpose: A segment to specify processable supplementary information associated with the equipment.
Dependency Notes:
Semantic Notes:
Comments:
Notes:

FTX+AEB+++REEFER COMMENTS'
 or
 FTX+AGK+++CONTAINER COMMENTS'
 or
 FTX+AA Y++WPD:118:ZZZ+NWP'
 or
 FTX+AA Y++WPD:118:ZZZ+CWP:PRO'

 Used for reefer, equipment comments and wooden packing declaration.

 Only 1 segment per EQD loop will be sent with Text Subject Code Qualifier of AAY.

Data Element Summary

Attributes	Data Element	Component Element	Name	Req/Repeat/Repr
M	4451		TEXT SUBJECT CODE QUALIFIER Code specifying the subject of the text. Accepted values: AAY Certification statements AEB Temperature control instructions AGK Instruction regarding the temperature control of the cargo. Equipment Description of equipment. Used to indicate equipment comments (for information purposes only).	M 1 an..3
X	4453		TEXT FUNCTION, CODED	C 1 an..3
	C107		TEXT REFERENCE Coded reference to a standard text and its source.	C 1
M		4441	Free text value code Code specifying free form text. This element must only be populated when text subject code qualifier (4451) = AAY. Accepted values: WPD = Wooden Packing Declaration	M an..17
M		1131	Code list identification code Identification of a code list. This element must only be populated when text subject code qualifier (4451) = AAY and free text value code (C107,4441) = WPD. Accepted values: 118 Government agency procedure Treatment applied by a government agency other than Customs to merchandise under their control.	M an..3
M		3055	Code list responsible agency code Code specifying the agency responsible for a code list.	M an..3

This element must only be populated when text subject code qualifier (4451) = AAY and free text value code (C107,4441) = WPD.

Accepted values:

ZZZ Mutually defined

C108

TEXT LITERAL

C 1

Free text; one to five lines.

M

4440

Free text value

M an..512

Free form text.

This element must only be populated when text subject code qualifier (4451) = AEB or AGK and free text value code C107, 4441) is not populated.

or

When text subject code qualifier (4451) = AAY and free text value code C107, 4441) is populated with the code WPD then this element may be populated with:

NWP = No wooden packing material

CWP = Contains wooden packing material

4440

Free text value

C an..512

Free form text.

This element may only be populated when text subject code qualifier (4451) = AAY, free text value code C107, 4441) is populated with WPD and the first C108,4440 (1) is populated with CWP then this element may be populated with:

PRO = Processed

TAC = Treated and certified

NTC = Not-treated and not-certified

Segment: **RFF** Reference
Position: 1760
Group: Segment Group 37 (Equipment Details) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Max Use: 9
Purpose: A segment to specify a reference number to equipment.

Dependency Notes:

Semantic Notes:

Comments:

Notes: RFF+AHZ:CUSTOMS RELEASE CODE'

This reference applies to each individual container.

Data Element Summary

Attributes	Data	Component		Req/Repeat/Repr	
	<u>Element</u>	<u>Element</u>	<u>Name</u>		
M	C506		REFERENCE	M	1
			Identification of a reference.		
M		1153	Reference function code qualifier	M	an..3
			Code giving specific meaning to a reference segment or a reference number.		
			Accepted values:		
			AHZ Customs release code		
			A code associated to a requirement that must be presented to gain the release of goods by Customs.		
			For information purposes only (not printed on Bill).		
>>		1154	Reference identifier	C	an..35
			Identifies a reference.		

Group: **NAD** Segment Group 39: Name and Address
Position: 1850
Group: Segment Group 37 (Equipment Details) Conditional (Optional)
Level: 2
Usage: Conditional (Optional)
Max Use: 1
Purpose: A group of segments to identify different equipment pick-up or drop-off places.

Segment Summary

	<u>Pos.</u>	<u>Seg.</u>		<u>Req.</u>	<u>Max.</u>	<u>Group:</u>
	<u>No.</u>	<u>ID</u>	<u>Name</u>	<u>Des.</u>	<u>Use</u>	<u>Repeat</u>
M	1860	NAD	Name and Address	M	1	

Segment: **NAD** Name and Address
Position: 1860 (Trigger Segment)
Group: Segment Group 39 (Name and Address) Conditional (Optional)
Level: 2
Usage: Mandatory
Max Use: 1
Purpose: A segment to specify a pick-up or drop-off address.

Dependency Notes:

Semantic Notes:

Comments:

Notes:

NAD+CS+USELZ:263:6++++LOCATION NAME'
or
NAD+CS+39487:263:87++++LOCATION NAME'

Location must be coded value.

Localized customs rules:

United States

When Port of Discharge (0520LOC) is a US port, MSC recommends that stuffing location be provided (when applicable).

Data Element Summary

Attributes		Data	Component			
	<u>Element</u>	<u>Element</u>	<u>Name</u>		<u>Req/Repeat/Repr</u>	
M	3035		PARTY FUNCTION CODE QUALIFIER		M	1 an..3
			Code giving specific meaning to a party.			
			Accepted values:			
		CS	Consolidator			
			Party consolidating various consignments, payments etc.			
			Container stuffing location.			
		C082	PARTY IDENTIFICATION DETAILS		C	1
			Identification of a transaction party by code.			
M		3039	Party identifier		M	an..35
			Code specifying the identity of a party.			
			UN location code or MSC alias.			
M		1131	Code list identification code		M	an..3
			Identification of a code list.			
			Accepted values:			
		263	Packing and/or unpacking facility			
			Facility dedicated to the packing and/or unpacking of cargo.			
M		3055	Code list responsible agency code		M	an..3
			Code specifying the agency responsible for a code list.			
			Accepted values:			
		6	UN/ECE (United Nations - Economic Commission for Europe)			
		87	Assigned by carrier			
			Codes assigned by the carrier.			
X		C058	NAME AND ADDRESS		C	1
			Unstructured name and address: one to five lines.			
X		3124	Name and address line		M	an..35
			Free form name and address description.			
X		3124	Name and address line		C	an..35
			Free form name and address description.			

X		3124	Name and address line Free form name and address description.	C	an..35
X		3124	Name and address line Free form name and address description.	C	an..35
X		3124	Name and address line Free form name and address description.	C	an..35
X	C080		PARTY NAME Identification of a transaction party by name, one to five lines. Party name may be formatted.	C	1
X		3036	Party name Name of a party involved in a transaction.	M	an..35
X		3036	Party name Name of a party involved in a transaction.	C	an..35
X		3036	Party name Name of a party involved in a transaction.	C	an..35
X		3036	Party name Name of a party involved in a transaction.	C	an..35
X		3036	Party name Name of a party involved in a transaction.	C	an..35
X		3045	Party name format code Code specifying the representation of a party name.	C	an..3
X	C059		STREET Street address and/or PO Box number in a structured address: one to four lines.	C	1
X		3042	Street and number/p.o. box Street and number in plain language, or Post Office Box No.	M	an..35
X		3042	Street and number/p.o. box Street and number in plain language, or Post Office Box No.	C	an..35
X		3042	Street and number/p.o. box Street and number in plain language, or Post Office Box No.	C	an..35
X		3042	Street and number/p.o. box Street and number in plain language, or Post Office Box No.	C	an..35
	3164		CITY NAME Name of a city (a town, a village) for addressing purposes.	C	1 an..35
X	C819		COUNTRY SUB-ENTITY DETAILS To specify a part of a country (eg county or part of a city).	C	1
X		3229	Country sub-entity name code Identification of the name of sub-entities (state, province) defined by appropriate governmental agencies.	C	an..9
X		1131	Code list identification code Identification of a code list.	C	an..3
X		3055	Code list responsible agency code Code specifying the agency responsible for a code list.	C	an..3
X		3228	Country sub-entity name Name of sub-entities (state, province) defined by appropriate governmental agencies.	C	an..35
X	3251		POSTAL IDENTIFICATION CODE	C	1 an..17
	3207		COUNTRY NAME CODE Identification of the name of the country or other geographical entity as specified in ISO 3166.	C	1 an..3

Segment: **UNT** Message Trailer
Position: 2000
Group:
Level: 0
Usage: Mandatory
Max Use: 1
Purpose: A service segment ending a message, giving the total number of segments in the message (including the UNH & UNT) and the control reference number of the message.

Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

Attributes	Data	Component	Req/Repeat/Repr
	<u>Element</u>	<u>Element</u> <u>Name</u>	
M	0074	NUMBER OF SEGMENTS IN A MESSAGE Control count of number of segments in a message.	M 1 n..6
M	0062	MESSAGE REFERENCE NUMBER Unique message reference assigned by the sender.	M 1 an..14

Segment: UNZ Interchange Trailer
Position: 2010
Group:
Level: 0
Usage: Conditional (Optional)
Max Use: 1
Purpose: To end and check the completeness of an interchange
Dependency Notes:
Semantic Notes:
Comments:

Data Element Summary

Attributes	Data	Component		Req/Repeat/Repr
	<u>Element</u>	<u>Element</u>	<u>Name</u>	
M	0036		INTERCHANGE CONTROL COUNT	M 1 n..6
			Count either of the number of messages or, if used, of the number of functional groups in an interchange.	
M	0020		INTERCHANGE CONTROL REFERENCE	M 1 an..14
			Unique reference assigned by the sender to an interchange.	